



PREMIUM CAR CARE AND COATING PRODUCTS



PRODUCT CATALOG

Innovative surface coatings,
cleaning agents, polishes, care products, and accessories



ABOUT US

servFaces GmbH develops and manufactures high-quality automotive care products, professional cleaning agents, and innovative surface coatings for the long-term protection of a wide variety of materials.

Our product range includes, among other things, high-quality polishes, modern ceramic coatings, and sealants for a wide variety of materials. The range is complemented by high-performance interior and exterior cleaners, as well as specialized care and protection products for vehicles, industrial applications, yachts, and other areas of use

From a Vision to an International Brand

In 2009, the vision emerged to develop our own innovative products and thereby set new standards in the market. With great passion and entrepreneurial foresight, intensive work began on our first proprietary formulations and product concepts. In the years that followed, we continuously researched, tested, and optimized our products with the highest standards of quality, efficacy, and customer benefit.

By 2011, we had succeeded in bringing the developed products to market readiness and successfully launching them. The company's headquarters in Switzerland at the time served as the foundation for a structured and quality-oriented market entry.

What began as a small, ambitious startup quickly evolved dynamically. Driven by growing demand and a clear international focus, another significant milestone was reached in 2014: the establishment of the company in Germany. This step laid the foundation for the expansion of global distribution structures and sustainably strengthened the company's international market presence.

A global network. Quality available right away.

Today, sales are primarily conducted through a modern online store, which provides customers worldwide with direct and convenient access to the product range. In addition, servFaces GmbH maintains an extensive network of importers and specialty retailers on an international level, ensuring high availability and market presence.

„Made in Germany“ – A Promise of the Highest Quality

For us, quality is not just a claim, but the foundation of everything we do. Our products are manufactured with the utmost precision and in accordance with the strictest quality standards to meet our customers' requirements. "Made in Germany" stands for our promise: excellent craftsmanship, reliable performance, and sustainable production.



INNOVATIVE CAR CARE
SOLUTIONS – DESIGNED
FOR PROFESSIONALS.

CONTENTS

CLEANING

- 08 Ready-to-use surface cleaner
- 12 Concentrates
- 16 Accessories

PREPARATION

- 20 Polishing Matrix
- 22 Microfine abrasive pastes
- 25 Accessories
- 26 Polishing Sponges for Orbital Polishers
- 29 Polishing Sponges and Pads for Rotary Polishers
- 31 Polishing Pads for Orbital & Rotary Polishers

PERMANENT SURFACE COATINGS

COATINGS

- 34 Paint
- 42 Rims, brakes and exhaust systems
- 43 Plastic
- 44 Glass
- 46 Textile
- 46 Leather
- 47 Metal
- 47 Tile and ceramics

PRE-CLEANER

- 48 For pre-cleaning before sealing

SPECIAL COATINGS

- 50 Aero
- 52 Yacht

CARE

- 54 Paint care
- 56 Leather care
- 57 Plastic and rubber care

PRODUCT LINES

- 58 Pro 25 Series – Large packaging
- 64 Hydro Ceramic Series
- 70 fillium – For PPF & WRAP films

ACCESSORIES FOR CLEANING AND CARE

- 74 Microfiber cloths
- 78 Sponges and washing accessories
- 82 Applicators and cloths

BRAND

- 77 Promotional material

CLOTHING

- 85 servFaces Polo shirts and polishing aprons
- 85 servFaces Bags
- 86 servFaces Advertising banner
- 87 servFaces Promotional materials

POWERFUL CLEANERS

Powerful against dirt,
gentle on surfaces

eco
FRIENDLY
PRODUCTS 





750 ml	5 liters	10 liters
Art. No.: SF10019.1	Art. No.: SF10019.2	Art. No.: SF10019.3

Insect Remover (ready-to-use)

Ready-to-use insect remover

Insect Remover (ready-to-use) is a specially developed cleaning agent for the non-abrasive removal of insect residues on glass, paint, chrome and plastic surfaces (solvent-free). The traditional formulation opens thick and hard residues even faster and softens them to allow gentle removal without exposing the surface to stress. Insect Remover (ready-to-use) is tested for paint and synthetic material compatibility. It is ideal as a pre-cleaner for car washing and also removes oil, grease and carbon black.

Areas of application:

- Cleaning of all types of vehicles
- Acryl glass / Polycarbonate
- Ideal for cleaning servFaces-coated surfaces

Properties:

- Gel formulation for the best performance
- Suitable as a pre-cleaner as well
- Material friendly
- Powerful



750 ml	5 liters	10 liters
Art. No.: SF10184.1	Art. No.: SF10184.2	Art. No.: SF10184.3

Rims & Dust Cleaner

Rim cleaner with color indicator

servFaces Rims & Dust Cleaner is a powerful high-performance cleaner based on reacting active substances and high-performance surfactants. It removes burned-in brake dust and other inorganic dirt quickly, effectively and gently. An optimum combination of ingredients guarantees a long application time to allow the reacting active substances to infiltrate and effectively remove even stubborn and burned-in particles. The dirt dissolving power is visible thanks to the color indicator (red color reaction). High-grade surfactants coat the dissolved dirt to rinse it off easily. Heavily soiled areas should be reworked with a sponge or brush to enable better cleaning.

Areas of application:

- Rims on passenger cars and commercial vehicles
- Painted surfaces
- Aluminum, chrome and steel rims
- Plastic hub caps

Properties:

- Powerful
- Color indicator
- Low foam formation



750 ml	5 liters	10 liters
Art. No.: SF10270.1	Art. No.: SF10270.2	Art. No.: SF10270.3

Iron EXX

Flash rust remover

servFaces Iron EXX is a powerful, pH-neutral and acid-free high-performance cleaner based on reacting active substances and high-performance surfactants. It removes flash rust and other inorganic dirt quickly, effectively and gently. An optimum combination of ingredients guarantees a long application time which allows the reacting active substances to infiltrate and effectively remove even stubborn and burned-in particles. The dirt dissolving power is visible thanks to the color indicator (red color reaction). High-grade surfactants coat the dissolved dirt to rinse it off easily. Heavily soiled areas should be reworked with a sponge or brush to enable better cleaning.

Areas of application:

- Suitable for all surfaces on passenger cars and commercial vehicles – including painted surfaces, plastics, glass, and rims.

Properties:

- Powerful
- pH neutral
- Acid-free
- Color indicator



750 ml	5 liters	10 liters
Art. No.: SF10183.1	Art. No.: SF10183.2	Art. No.: SF10183.3

Glass Cleaner (ready-to-use)

Premium glass cleaner

Glass Cleaner (ready-to-use) is a modern ready-to-use glass cleaner that protects material and cleans glass surfaces without streaking. The product is also very well suited for plastic surfaces. It is suitable for universal application and effortlessly removes nicotine, grease and oil.

Areas of application:

- Glass facades and windows
- Car windows
- Plastic discs
- Window frames
- Glass tables and mirrors

Properties:

- Silicone-free
- Skin-friendly and environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical



750 ml	5 liters	10 liters
Art. No.: SF10258.1	Art. No.: SF10258.2	Art. No.: SF10258.3

Allround Cleaner (ready-to-use)

Ready-to-use all-purpose cleaner

servFaces Allround Cleaner is a slightly alkaline, ready-to-use combination product for the whole car interior. It gently and effectively cleans upholstery, carpets, headlining and plastics without damaging sensitive surfaces. The high-grade surfactant combination penetrates deeply into the surface structure and dissolves even the most stubborn dirt, such as oil, grease and nicotine residues. servFaces Allround Cleaner is also suitable for powerful and effective cleaning of all surfaces in buildings, public transport and many more.

Areas of application:

- Car interiors
- Tiling, concrete and stone floors
- Furniture in public institutions
- Office buildings
- Trains and trams
- Industry and handicrafts
- Doors and windows

Properties:

- Leaves no streaks
- Removes heavily soiled areas
- Applicable cold or hot
- Highly concentrated
- Strong cleaning power
- Biologically degradable
- Develops no toxic vapors
- Skin and environmentally friendly



750 ml	5 liters	10 liters
Art. No.: SF10480	Art. No.: SF10480.1	Art. No.: SF10480.2

Rims & Dust EXTREME

Extra-strong wheel cleaner with color indicator

servFaces Rims & Dust EXTREME is a powerful, acid-free wheel cleaner based on an innovative combination of reactive active ingredients and high-performance surfactants. It quickly and thoroughly removes lightly baked-on brake dust and other inorganic contaminants without damaging the material. The carefully balanced formula allows for an extended contact time, enabling the reactive ingredients to effectively penetrate and loosen even tightly adhered and baked-on particles. An integrated color indicator visually shows the dirt-dissolving power through a reddish color reaction. The high-quality surfactants envelop the dissolved dirt, making it easy to rinse off. For particularly stubborn stains, it may be necessary to follow up with a sponge or brush to ensure the stains are thoroughly removed.

Areas of application:

- Wheels for cars, commercial vehicles, and motorcycles
- Painted rims
- Alloy wheels, chrome wheels, steel wheels
- Plastic hubcaps

Properties:

- EXTRA powerful
- Color indicator
- acid-free
- low foaming
- Suitable for wheels equipped with TPMS (Tire Pressure Monitoring System).



500 ml
Art. No.: SF10264.3

Tar & Bitumen Remover

Tar and bitumen remover

Tar & Bitumen Remover is a solvent formulation optimized according to the latest legal requirements for automobiles, industry and handicraft. It is especially suited to removing tar and bitumen residues on coated surfaces, plastics, glass, tiling, metal, facades, bricks, stone and exposed aggregate concrete as well on vehicles in the automotive industry, equipment and machinery in road construction and asphalt surfacing.

Areas of application:

- Vehicles and automotive equipment
- Road construction
- Béton Brut
- Concrete floors
- Exposed aggregate concrete

Properties:

- Cleans quickly and efficiently
- Removes tar and bitumen residuals, tree sap, preservation waxes and oils from all solvent-resistant surfaces
- Easy to apply
- Powerful and protects material



500 ml
Art. No.: SF10412

Tar EXX

Tar remover

Tar EXX is a tar remover based on renewable raw materials that is free of hydrocarbons and terpene hydrocarbons. The unique and environmentally friendly formulation based on micro-emulsion technology guarantees gentle removal of tar residues on coated surfaces, plastics, glass, metal, and much more. Tar EXX should be used mainly for cleaning vehicles in automotive industry and devices and machinery in road construction and asphalt surfacing.

Areas of application:

- Vehicles and automotive equipment
- Road construction equipment and machinery
- Campers
- Motorcycles

Properties:

- Protects material
- Environmentally friendly
- Removes tar and bitumen residues, preservation waxes and oils from all solvent-resistant surfaces
- Easy to apply
- Free of VOC
- Effective as a conventional solvent



750 ml	5 liters	10 liters
Art. No.: SF10512	Art. No.: SF10512.1	Art. No.: SF10512.2

Tire Cleaner PRO

Tire Sidewall & Rubber Cleaner

The servFaces Tire Cleaner PRO is a powerful specialty cleaner designed for the thorough cleaning of tire sidewalls and rubber parts. Thanks to its effective formula, it reliably removes residue from tire care products as well as deeply embedded road grime and grease from the rubber structure. This intensive cleaning optimally prepares the surface to ensure even and long-lasting adhesion of subsequent tire and rubber care products.

Areas of application:

- Tire sidewalls of all types of vehicles
- Various rubber components
- Door seals

Properties:

- Extra powerful
- Formula optimized for adhesion
- Suitable for intensive and regular cleaning
- ensures even application of cleaning products
- Visible dirt-removing power in seconds (brown discoloration)



200 ml	1 liters
Art. No.: SF10067	Art. No.: SF10067.1

Leather Cleaner Medium

Leather cleaning & care system

Leather Cleaner Medium gently removes oil or greasy dirt from all clean aniline, semi-aniline and covered leather. They are ideal for removing minor water stains or visible patches caused by previous stain removal. This effective cleaning foam is available in a practical foam dispenser bottle. The specific application considerably reduces consumption compared to liquid cleaners. Another advantage is the stability of the foam. The leather will not get too wet or not harden during drying.

Areas of application:

- Slightly to moderately soiled areas on moderately to strongly pigmented smooth leather (car and furniture upholstery, bags, suitcases, clothing).
- Not suitable for: Nubuck, suede or rough suede leathe

Properties:

- Strong dirt dissolving power
- Protects material
- Leaves no residues
- Dull finish
- No change in surface characteristics (touch)



750 ml	5 liters
Art. No.: SF10464	Art. No.: SF10464.1

Water Spot EXX

Acid-based water stain remover

servFaces Water Spot EXX gently and effectively removes water stains from all exterior vehicle surfaces. Limescale or mineral salts are often the cause of water stains on vehicle surfaces. Thanks to the adhesion-optimized acid-based formula, the surface remains wetted during the entire exposure phase. This gently dissolves the limescale, resulting in a stain-free finish.

Areas of application:

- Painted surfaces (matt and gloss paint)
- Surfaces made of plastic, glass or metal

Properties:

- Removes water stains on all exterior vehicle surfaces
- Acidic
- Without hydrofluoric acid, without hydrochloric acid
- Non-hazardous
- Short exposure time
- Adhesion-optimized formula for vertical surfaces



200 ml	1 liters
Art. No.: SF10068	Art. No.: SF10068.1

Leather Cleaner Strong

Leather cleaning & care system

Leather Cleaner Strong gently removes oil or greasy dirt from all clean aniline, semi-aniline and covered leather. They are ideal for removing minor water stains or visible patches caused by previous stain removal. This effective cleaning foam is available in a practical foam dispenser bottle. The specific application considerably reduces consumption compared to liquid cleaners. Another advantage is the stability of the foam. The leather will not get too wet or not harden during drying.

Areas of application:

- Moderately to heavily soiled areas on moderately to strongly pigmented smooth leather (car and furniture upholstery, bags, suitcases, clothing).
- Not suitable for: Nubuck, suede or rough suede leather

Properties:

- Strong dirt dissolving power
- Protects material
- Leaves no residues
- Dull finish
- No change in surface characteristics (touch)



pH
12,8

1 liter	10 liters
Art. No.: SF10052	Art. No.: SF10052.1

Reactive Cleaner
Pre-cleaner (high concentrate)

servFaces Reactive Cleaner (High Concentration) is an effective and very powerful high-performance cleaner for a wide range of applications. Reactive Cleaner (High Concentration) is highly concentrated and is excellent as a pre-cleaner for non-abrasive car washing. Thanks to the new alkaline formulation of active ingredients and special selection of surfactants, it dissolves dirt such as insect remains, bird droppings, environmental pollution and grease. It is also very suitable for non-abrasive removal of deposits on servFaces-coated surfaces.

- Areas of application:**

 - Passenger cars, trucks and motorcycles
 - Campers, buses and transporters
 - Trains and trams
 - Construction machinery
 - Industry and handicrafts
 - Engine bays
 - Boats
- Properties:**

 - Does not leave a grey film
 - Effective on heavily soiled areas
 - Applicable cold or hot
 - Removes oil, grease and soot deposits
 - Highly concentrated
 - Strong cleaning power
 - Low foaming



pH
9,6

1 liter	10 liters
Art. No.: SF10192	Art. No.: SF10192.1

Allround Cleaner
All-purpose cleaner (high concentrate)

servFaces Allround Cleaner is a slightly alkaline, highly concentrated combination product for the whole car interior. It gently and effectively cleans upholstery, carpets, headlining and plastics, without damaging sensitive surfaces. The high-grade surfactant combination penetrates deeply into the surface structure and dissolves even the most stubborn dirt, such as oil, grease and nicotine residues. servFaces Allround Cleaner is also suitable for powerful and effective cleaning of all surfaces in buildings, public transport and much more.

- Areas of application:**

 - Car interiors
 - Tiling, concrete and stone floors
 - Furniture in public institutions
 - Office buildings
 - Trains and trams
 - Industry and handicrafts
 - Doors and windows
- Properties:**

 - Leaves no streaks
 - Removes heavily soiled areas
 - Applicable cold or hot
 - Highly concentrated
 - Strong cleaning power
 - Biologically degradable
 - Develops no toxic vapors
 - Skin and environmentally friendly



pH
11,5

1 liter	10 liters
Art. No.: SF10053	Art. No.: SF10053.1

Insect Remover
Insect remover (high concentrate)

Insect Remover (High-Concentrate) is a specially developed cleaning agent for the gentle removal of insect remains on glass, coatings, chrome and plastic surfaces (solvent-free). The traditional formulation opens thick and hard residues even faster and softens them to allow gentle removal without exposing the surface to stress. Insect Remover (High-Concentrate) has been tested for paint and plastic compatibility. It is ideal as a pre-cleaner for car washing and also removes oil, grease and carbon black.

- Areas of application:**

 - Cleaning of all types of vehicles
 - Acryl glass / Polycarbonate
 - Ideal for cleaning of servFaces-coated surfaces
- Properties:**

 - Highly concentrated
 - For paint and compatible with synthetic materials
 - Suitable as a pre-cleaner
 - Protects material



pH
< 1,0

1 liter	10 liters
Art. No.: SF10055	Art. No.: SF10056.1

Special Cleaner Acidic
High-performance cleaner for acid-resistant surfaces (high concentrate)

Special Cleaner Acidic (High Concentrate) is an effective and very powerful high-performance cleaner for a wide range of applications. The Special Cleaner Acidic is a highly concentrated product with very strong dissolving power as well as anticorrosive properties. It effortlessly removes limescale and rust deposits on acid-resistant surfaces.

- Areas of application:**

 - Aluminum and steel rims
 - Plastic hub caps
 - Aluminum parts
 - Heavy soiling on machines
 - Ceramics and tiles
 - Removes rust film
- Properties:**

 - Extremely high cleaning effects
 - Very high dissolving power
 - Material protective
 - Removes the most stubborn dirt, such as limescale, rust films or brake dust
 - Very easy to rinse
 - Corrosion protection



pH
<1,0

1 liter	10 liters
Art. No.: SF10058	Art. No.: SF10059.1

Rims Cleaner
Brake dust & flash rust remover (high concentrate)

servFaces Rims Cleaner (High Concentrate) effortlessly removes brake dust and flash rust on all acid-resistant surfaces. It provides excellent protection for sensitive substrates, such as plastic, aluminum and painted surfaces, thanks to its unique formulation with a special additive for corrosion protection.

- Areas of application:**

 - Painted surfaces
 - Aluminum and steel rims
 - Plastic hub caps
- Properties:**

 - Material and paint friendly
 - Time-saving
 - Powerful and anti-corrosive
 - Wide range of applications



pH
14,0

1 liter	10 liters
Art. No.: SF10056	Art. No.: SF10057.1

Special Cleaner Alkaline
High-performance cleaner for alkaline resistant surfaces (high concentrate)

Special Cleaner Alkaline (High Concentrate) is an effective and very powerful high-performance cleaner with a wide range of applications. Special Cleaner Alkaline (High Concentration) is highly concentrated and thanks to the very strong dissolving power it effortlessly removes synthetic resins, fatty acids, oil and grease residues as well as latex residues on alkaline resistant surfaces. Suitable for stainless steel and steel as well.

- Areas of application:**

 - Cleaning of stainless steel transport tanks
 - Heavy soiling on machines
 - Ceramics and tiles
 - Lubricant and oil deposits on workshop floors
- Properties:**

 - Extremely powerful cleaning effects
 - Very high dissolving power
 - Biologically degradable
 - Removes stubborn dirt
 - Very easy to rinse off
 - Highly alkaline



1 liter	10 liters
Art. No.: SF10054	Art. No.: SF10054.1

Wash Concentrate

Car shampoo and cleaning concentrate (high concentrate)

servFaces Wash Concentrate is a very gentle and economical car shampoo for a wide range of applications. Wash Concentrate is highly concentrated and is excellent for gentle non-abrasive car washing. Gloss enhancement and consistent dirt dissolving power are obtained thanks to the added special care substances. Wash Concentrate is very suitable for gentle cleaning of servFaces-coated surfaces.

Areas of application:

- Passenger cars and trucks
- Motorcycles
- Campers
- Buses and transporters
- Boats
- Trains and trams

Properties:

- Silicone-free
- Skin-friendly
- Environmentally friendly
- Gloss enhancing
- Highly concentrated
- Strong cleaning power



1 liter	5 liters
Art. No.: SF10415	Art. No.: SF10415.1

Sour Soap & Foam

Car shampoo and Snow Foam

servFaces Sour Soap & Foam is a slightly acidic, very gentle and powerful car shampoo and Snow foam for various applications. The highly concentrated combination of active ingredients enables fast washing that is gentle on the surface and removes light mineral deposits as well as normal dirt. Sour Soap & Foam is also excellent for gentle and powerful cleaning of surfaces coated with servFaces products. Regular washing prevents the formation of deposits and maintains the hydrophobic property of the coated surface.

Areas of application:

- Passenger cars and trucks
- Motorcycles
- Caravans
- Buses and transporters
- Boats
- Trains and tramways

Properties:

- Skin-friendly
- Environmentally-friendly
- Gloss enhancement
- Highly concentrated
- Strong cleaning power



1 liter	5 liters
Art. No.: SF10427	Art. No.: SF10427.1

Shampoo PLUS

Car shampoo (high concentrate)

servFaces Shampoo PLUS is a very gentle but powerful car shampoo for a wide range of applications. The highly concentrated combination of active ingredients allows fast, non-abrasive washing. Shampoo PLUS creates a strong lubricating film on the surface to gently remove dirt from the paint surface. Shampoo PLUS is highly suited to gently and powerfully clean all types of servFaces-sealed surfaces without attacking them. By washing off dirt regularly, no deposits form and the hydrophobic property of the coated surface is maintained.

Areas of application:

- Passenger cars and trucks
- Motorcycles
- Caravans
- Buses and transporters
- Boats
- Trains and trams

Properties:

- Silicone-free
- Skin-friendly
- Environmentally-friendly
- Highly concentrated
- Strong cleaning power

Fiber Wash
Liquid detergent

servFaces Fiber Wash is a liquid detergent with anti-pilling effect and an ideal solution for cleaning and conserving valuable microfiber products. The specially tuned combination of various raw material components is characterized by no product wash residues being left on the fiber surface and thorough cleaning effects. This preserves the highly effective microfiber structure. The high dirt and moisture absorption effects of the microfiber products is not impaired by Fiber Wash in any way.

Areas of application:

- Microfiber cloths
- Car wash accessories (cleaning gloves & drying towel cloths)
- Polishing pads
- Polishing fleeces
- Applicators (sponge & microfiber)

Properties:

- Material protective
- Environmentally friendly
- Removes wax, silicone, polymers & polish residues
- Solvent & bleach free
- Anti-pilling effect

1 liter	10 liters
Art. No.: SF10281	Art. No.: SF10281.1



Canister key

Suitable for:

- 5 & 10 liter containers
- 25 & 30 liter containers

For 5 & 10 liter containers	For 25 & 30 liter containers
Art. No.: SF10059	Art. No.: SF10059.3



Faucet

Suitable for:

- 5 & 10 liter containers
- 25 & 30 liter containers

For 5 & 10 liter containers	For 25 & 30 liter containers
Art. No.: SF10060	Art. No.: SF10060.1



Professional Hand Sprayer

1 liter – Hand Sprayer made of plastic with special FPM*-seals for liquids with a ph value of 1 - 9.

Hand sprayer has a reliable hand pump and an adjustable nozzle so that it can be sprayed from a mist to a jet. The foot ring ensures optimum stability.

Areas of application:

- Cleaning work

Properties:

- Filling capacity: 1 liter
- Container: plastic with filling scale
- Gaskets: FPM*
- Empty weight: ca. 128 g
- Nozzle: special nozzle made of plastic

1 liter - white / black / red
Art. No.: SF10457

*FPM (Viton ®) = Fluorine Rubber
FPM is a synthetic rubber used for the production of seals and o-rings. It has good resistance to hydrocarbons, oils, strong acids, ARO automatic and chlorine-containing solvents and has good temperature resistance.



Professional Hand Sprayer

1 liter – Hand Sprayer made of plastic with special EPDM*-seals for liquids with a ph value of 7 - 14.

Hand sprayer has a reliable hand pump and an adjustable nozzle so that it can be sprayed from a mist to a jet. The foot ring ensures optimum stability.

Areas of application:

- Cleaning work

Properties:

- Filling capacity: 1 liter
- Container: plastic with filling scale
- Gaskets: EPDM*
- Empty weight: ca. 128 g
- Nozzle: special nozzle made of plastic

1 liter - white / black / blue
Art. No.: SF10456

*EPDM = ethylene-propylene-serve rubber
EPDM is a terpolymeres elastomer (rubber). Due to its elasticity it is suitable for the production of gaskets and o-rings. It is conditionally solvent resistant and has a considerable resistance to bases. In general, it has a low resistance to oil based hydrocarbons and fuels.



Snow Foam Gun

Professional, high-pressure foam lance

The servFaces Snow Foam Gun produces a very powerful and stable foam for effortless cleaning of all surfaces, such as paint, glass, facades, or stone. Ideal for all types of vehicles, conservatories, garden furniture, patios, and much more.

Properties:

- Sprays dense foam up to 10 m
- Thick foam
- Allows for a variety of chemical dilutions
- Stable, self-standing container
- Innovative lance system

Technical Data:

- Capacity of tank: 1 liter
- Materials: Plastic and Stainless Steel
- Water jet distance: 3 - 6 m (max.: 10 m)
- Working pressure: 150 - 180 bar
- Fitting 1/4"
- Weight: 619 g

Without Adapter
Art. No.: SF10463

Clay & Clean

Paint cleaning clay

Clay & Clean paint cleaning clay gently removes stubborn residues such as tar, rust, insect remains, and tree resin from vehicle paint. Clay & Clean creates a smooth, clean surface – ideal as preparation for further polishing and care steps.

Areas of application:

- Insect remains
- Tree resin from paint, metal, chrome and glass
- Tar
- Surface rust

Properties:

- Color: turquoise green
- Hardness: soft / medium-hard
- Multiple applications possible
- Grinding grade: fine

Art. No.:	Size:	Weight:	Content
SF10479	85 x 60 x 23 cm	200 g	1 Stück



Clay Lube Concentrate

Lubricant for paint cleaning clay

servFaces Clay Lube Concentrate is a highly concentrated lubricant concentrate for use with cleaning clay and cleaning pads. The product creates a highly effective lubricating film on the surface, which greatly reduces scratching. The product can be wiped off without leaving any residue and therefore does not leave a greasy film on the surface.

Areas of application:

- Glatte Oberflächen wie Lack, Glas, Chrom und Edelstahl

Properties:

- Highly concentrated
- Highly lubricating
- Does not dissolve cleaning clay
- Silicone-free



1 liter	Empty spray bottle
Art. No.: SF10481	Art. No.: SF10481.Z



POLISHES AND PADS

Professional Preparation
for a First-Class Finish



silicone-free



without filler



low dust

POLISHING MATRIX



	  12 CUT 4 GLOSS PRE-CUT	  10 CUT 6 GLOSS HEAVY CUT	  8 CUT 8 GLOSS MEDIUM CUT	  6 CUT 10 GLOSS FINE CUT	  3 CUT 12 GLOSS ULTRA FINE CUT	  8 CUT 11 GLOSS ONE CUT
POLISHING PADS TS SERIE	 9 PRO  10 PRO	 8 PRO  9 PRO  10 PRO	 5 PRO  7 PRO  8 PRO	 3 PRO  5 PRO  7 PRO	 3 PRO	 5 PRO  7 PRO
POLISHING PADS V & RT SERIE	 V1 / RT V1  V2 / RT V2	 V1 / RT V1  V2 / RT V2	 V3 / RT V3	 V3 / RT V3	 V3 / RT V3  V4 / RT V4	 V3 / RT V3
HSC-TECHNOLOGY POLISHING PADS	 HEAVY CUT	 HEAVY CUT	 HEAVY CUT  MEDIUM CUT  FINE CUT	 MEDIUM CUT  FINE CUT	 ULTRA FINE CUT	 MEDIUM CUT  FINE CUT
POLISHING WOOL PADS	 V1  V2  V3  NATURAL PRO  HYBRID MAX  HYBRID PRO  SYNTEC EXTREME	 V1  V2  V3  NATURAL PRO  HYBRID MAX  HYBRID PRO  SYNTEC EXTREME	 V1  V2  V3  HYBRID MAX	— —	— —	— —

PAINT
CONDITION



Removes very deep scratches
and sanding from grain size
P1000 / P1500



Removes deep scratches
and sanding from grain size
P1200 / P2000



Removes light to medium
scratches and sanding from
grain size P2000



Removes light to very light
scratches and sanding from
grain size P3000



Removes very fine scratches,
holograms and sanding from
grain size P6000



Removes light to medium
scratches and sanding from
grain size P2500



250 ml	1000 ml
Art. No.: SF10420	Art. No.: SF10420.1

Pre-Cut

Micro fine abrasive paste

servFaces Pre-Cut is a modern, highly efficient, silicone-free abrasive paste for quick re-conditioning of heavily weathered paintwork and the removal of deep scratches. The polish effectively removes paint mist and sanding from grit size P1000. Due to the highly abrasive and very uniform grit, servFaces Pre-Cut produces an extremely high cut with a medium gloss level. With servFaces Pre-Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Pre-Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork – both soft and scratch-resistant.

Grinding grade: 12,0
Gloss level: 4,0

Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.

- Effectively removes paint mist and sanding from grit size P1000 / P1500



250 ml	1000 ml
Art. No.: SF10421	Art. No.: SF10421.1

Heavy Cut

Micro fine abrasive paste

servFaces Heavy Cut is a modern, silicone-free and efficient abrasive paste for quick refurbishment of heavily weathered paintwork and for the removal of deep scratches. The polish effectively removes paint mist and sanding from grit size P1200 upwards. Due to the highly abrasive and very uniform grit, servFaces Heavy Cut produces a high cut with a medium to high gloss grade. With servFaces Heavy Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Heavy Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork, both soft and scratch-resistant.

Grinding grade: 10,0
Gloss level: 6,0

Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.

- Effectively removes paint mist and sanding from grit size P1200 / P2000



250 ml	1000 ml
Art. No.: SF10422	Art. No.: SF10422.1

Medium Cut

Micro fine abrasive paste

servFaces Medium Cut is a modern, efficient, silicone-free polish for quick reconditioning of moderately weathered paintwork and for the removal of light scratches. The polish effectively removes paint mist and sanding from grit size P2000 upwards. Due to the highly abrasive and very uniform grit, servFaces Medium Cut produces a high cut with a high gloss grade. With servFaces Medium Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Medium Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork, both soft and scratch-resistant.

Grinding grade: 8,0
Gloss level: 8,0

Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.

- Effectively removes paint mist and sanding from grit size P2000



250 ml	1000 ml
Art. No.: SF10423	Art. No.: SF10423.1

Fine Cut

Micro fine abrasive paste

servFaces Fine Cut is a modern, silicone-free and efficient polish for fast reconditioning of very lightly scratched paintwork. Due to the very uniform abrasive grit, the polish effectively removes sanding from grit P3000 and above and quickly removes surface scratches, e.g. from car washes and other similar signs of use with a high-gloss and hologram-free finish. With servFaces Fine Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Fine Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork - both soft and scratch-resistant.

Grinding grade: 6,0
Gloss level: 10,0

Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.

- Effectively removes paint mist and sanding from grit size P3000



250 ml	1000 ml
Art. No.: SF10424	Art. No.: SF10424.1

Ultra Fine Cut

Micro fine abrasive paste

servFaces Ultra Fine Cut is a silicone-free micro polishing agent. It is highly suited to permanent removal of very fine scratches, polishing smears, holograms and sanding from grit size P6000 on all paint systems. Thanks to its special high-performance grinding particles, the polish is also ideally suited to scratch-resistant clear coats. By using special, highly homogeneous abrasives, an excellent and durable high-gloss finish is achieved. This brilliant sanding result can even be achieved on dark and similarly sensitive shades and under extreme light conditions. Holograms and fine scratches are removed mechanically as the polish has no filling properties. Ultra Fine Cut can be removed without leaving any residue and is very economical.

Grinding grade: 3,0
Gloss level: 12,0

Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.

- Effectively removes paint mist and sanding from grit size P6000



250 ml	1000 ml
Art. No.: SF10425	Art. No.: SF10425.1

ONE Cut

Micro fine abrasive paste incl. sealing

servFaces ONE Cut is a silicone-free polish for professional reconditioning of lightly to moderately scratched painted surfaces in one step. Thanks to its special high-performance abrasive particles, the polish is also ideally suited to scratch-resistant clear coats. It quickly removes medium surface scratches and sanding from grit P2500 or other similar signs of use with a high-gloss and hologram-free finish. ONE Cut is ideally suited to the quick preparation of painted surfaces, such as the preparation of used sales vehicles. Thanks to the integrated sealing components, it additionally protects the paint surface, which is why no further work step is required.

Grinding grade: 8,0
Gloss level: 11,0

Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.

- Effectively removes paint mist and sanding from grit size P2500



100 ml
Art. No.: SF10517

250 ml
Art. No.: SF10517.1

Glass Polish
Cleaning Polish for Glass Surfaces

Glass Polish is a specially developed cleaning polish for deep cleaning of glass surfaces. The product effortlessly removes mineral deposits such as limescale, existing coatings, and car-wash care product residues, leaving a clean surface. This cleaning process is essential to achieve 100% adhesion of our glass coatings.

- Areas of Application:**

 - Glass surfaces
- Properties:**

 - Fast cleaning effect
 - Acid-free
 - Gentle on materials



150 ml
Art. No.: SF10265

500 ml
Art. No.: SF10265.2

Metal Polish
Grinding paste

Silicone-free grinding paste with specially developed high-performance particles for the greatest cleaning and grinding effects. Metal Polish quickly and effectively removes dirt, rust, damaged or dulled areas from all metal surfaces, such as chrome, stainless steel, aluminum, copper and brass, without scratching the surface.

PLEASE NOTE: Do not use on coated or painted metal parts, chrome-plated plastic parts or rough metal surfaces.

- Grinding grade: 8**
Gloss grade: 9
- Properties:**

 - Maximum high polish with maximum material preservation
 - Simple application



Art. No.:	Size:	Thread:	Content:
SF10094	Ø 30 mm, 24 mm thick	M14	1 piece
SF10094.1	Ø 50 mm, 24 mm thick	M14	1 piece
SF10094.2	Ø 70 mm, 24 mm thick	M14	1 piece
SF10094.3	Ø 123 mm, 28 mm thick	M14	1 piece
SF10094.4	Ø 148 mm, 30 mm thick	M14	1 piece

Polishing Plate PUR
Foam Soft
Thread: M14

Polishing plate with velcro adhesion. Fits on all polishing machines with M14 thread receptacle. With soft polyurethane foam pad for excellent flexibility and ease of use.

- Properties:**
- Soft foam
 - Thread: M14



Art. No.:	Size:	Thread:	Content:
SF10096	Ø 75 mm, 26 mm thick	M14	1 piece
SF10096.1	Ø 123 mm, 26 mm thick	M14	1 piece
SF10096.2	Ø 148 mm, 26 mm thick	M14	1 piece
SF10096.3	Ø 75 mm, 26 mm thick	5/8"	1 piece
SF10096.4	Ø 123 mm, 26 mm thick	5/8"	1 piece
SF10096.5	Ø 148 mm, 26 mm thick	5/8"	1 piece

Polishing Plate
Foam Ultra Soft
Thread: M14 or 5/8"

Professional polishing plate with velcro adhesion. Fits all polishing machines with M14 and 5/8" thread receptacle. The support plate uses a special 2-layer foam for excellent flexibility and ease of use. The support plate adapts optimally to uneven surfaces.

- Properties:**
- Extremely soft foam
 - Thread: M14 or 5/8"





M14 x 80mm
Art. No.: SF10144

M14 x 80 mm Extension (stainless steel)
Special extension for rotary polishers

With this special extension, you can easily reach areas that are difficult to access and thus polish to high gloss.

You can connect a maximum of 3 extensions together to a length of 240 mm.



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10470	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10470.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10470.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

Polishing Pad TS 3 PRO

The TS 3 PRO polishing pad is specifically designed for use with orbital polishers. The lightly abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing fine micro-scratches and holograms. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

- Properties:**
- Polishing pad for free-spinning and gear-driven orbital polishers
 - Open-cell
 - Dimensionally stable under heat
 - Reinforced, 2-layer hook-and-loop velour backing
 - Color: light blue
 - Recommended grinding pastes: Fine Cut, Ultra Fine Cut



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10469	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10469.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10469.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

Polishing Pad TS 5 PRO

The TS 5 PRO polishing pad is specifically designed for use with orbital polishers. The medium to fine abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing medium to fine scratches and paint defects on lightly weathered and used paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

- Properties:**
- Polishing pad for free-spinning and gear-driven orbital polishers
 - Open-cell
 - Dimensionally stable under heat
 - Reinforced, 2-layer hook-and-loop velour backing
 - Color: orange
 - Recommended grinding pastes: Medium Cut, Fine Cut, ONE Cut



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10468	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10468.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10468.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

Polishing Pad TS 7 PRO

The TS 7 PRO polishing pad (dark blue) is specifically designed for use with orbital polishers. The medium abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing medium scratches and paint defects on lightly weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

- Properties:**
- Polishing pad for free-spinning and gear-driven orbital polishers
 - Open-cell
 - Dimensionally stable under heat
 - Reinforced, 2-layer hook-and-loop velour backing
 - Color: dark blue
 - Recommended grinding pastes: Medium Cut, Fine Cut, ONE Cut



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10467	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10467.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10467.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

Polishing Pad TS 8 PRO

The TS 8 PRO polishing pad is specifically designed for use with orbital polishers. The medium abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing medium scratches and paint defects on lightly weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

- Properties:**
- Polishing pad for free-spinning and gear-driven orbital polishers
 - Open-cell
 - Dimensionally stable under heat
 - Reinforced, 2-layer hook-and-loop velour backing
 - Color: dark red
 - Recommended grinding pastes: Heavy Cut, Medium Cut



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10466	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10466.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10466.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

Polishing Pad TS 9 PRO

The TS 9 PRO polishing pad is specifically designed for use with orbital polishers. This coarse, highly abrasive, open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing deep scratches and paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

- Properties:**
- Polishing pad for free-spinning and gear-driven orbital polishers
 - Open-cell
 - Dimensionally stable under heat
 - Reinforced, 2-layer hook-and-loop velour backing
 - Color: green
 - Recommended grinding pastes: Pre-Cut, Heavy Cut



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10465	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10465.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10465.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

Polishing Pad TS 10 PRO

The TS 10 PRO polishing pad is specifically designed for use with orbital polishers. This coarse, highly abrasive, open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing deep scratches and paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

- Properties:**
- Polishing pad for free-spinning and gear-driven orbital polishers
 - Open-cell
 - Dimensionally stable under heat
 - Reinforced, 2-layer hook-and-loop velour backing
 - Color: grey
 - Recommended grinding pastes: Pre-Cut, Heavy Cut



Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10064	Ø 50 mm, 22 mm thick	Ø 40 mm	
SF10064.1	Ø 65 mm, 22 mm thick	Ø 55 mm	
SF10064.2	Ø 88 mm, 22 mm thick	Ø 80 mm	Ø 20 mm
SF10064.3	Ø 136 mm, 22 mm thick	Ø 127 mm	Ø 20 mm
SF10064.4	Ø 160 mm, 30 mm thick	Ø 150 mm	Ø 24 mm

Polishing pad V1

Polishing pad V1 (grey / yellow) is designed especially for use with orbital polishers. This coarse, highly abrasive and open-celled polishing pad can be combined with a variety of grinding pastes, therefore, it is universally applicable. It is particularly suitable for removing deep scratches and paint defects on heavily weathered coated surfaces.

- Properties:**
- Grey / Yellow
 - Hard
 - Open-celled, highly abrasive
 - Recommended grinding pastes: Cut Polish, Finish Polish
 - Trapezium

Polishing pad V2

Polishing pad V2 (grey/grey) is specially designed for use with orbital polishers. The coarse, very abrasive and open-celled polishing pad is useable with many grinding pastes for heavily weathered coated surfaces or removing deep scratches and paint defects!

- Properties:**
- Grey
 - Hard
 - Very abrasive, open-celled
 - Recommended grinding pastes: Cut Polish, Finish Polish
 - Trapezium

Polishing pad V3

Polishing pad V3 (grey/blue) is specially designed for use with orbital polishers. The medium-strength, slightly abrasive and open-celled polishing pad is useable with many grinding pastes for moderately weathered or brand new coated surfaces. It creates a very attractive finish with a high gloss.

- Properties:**
- Grey/Blue
 - Medium
 - Open-celled, slightly abrasive
 - Recommended grinding pastes: Cut Polish, Finish Polish, Ultra Fine Polish
 - Trapezium

Polishing pad V4

Polishing pad V4 (black/orange) is specially designed for use with orbital polishers. The very soft and fine-celled polishing pad is useable for finishing work for brand new and pre-treated coated surfaces. It creates a very attractive finish with a high gloss. Ideal for removing minor holograms after polishing.

- Properties:**
- Black/Orange
 - Soft
 - Very soft, fine-celled and open-celled
 - Recommended grinding pastes: Finish Polish, Ultra Fine Polish
 - Trapezium

Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10167	Ø 50 mm, 22 mm thick	Ø 40 mm	
SF10167.1	Ø 65 mm, 22 mm thick	Ø 55 mm	
SF10167.2	Ø 88 mm, 22 mm thick	Ø 80 mm	Ø 20 mm
SF10167.3	Ø 136 mm, 22 mm thick	Ø 127 mm	Ø 20 mm
SF10167.4	Ø 160 mm, 30 mm thick	Ø 150 mm	Ø 24 mm



Art. No.:	Pad size:	Velour size:	Content:
SF10349.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10349.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10349.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces

Polishing pad RT / V1

Polishing pad RT / V1 (yellow) is developed specially for use with rotary polishers. This coarse, highly abrasive and open-celled polishing pad can be combined with a variety of grinding pastes, therefore, its use is universal. It is particularly suitable for removing deep scratches and paint defects on heavily weathered coated surfaces.

- Properties:**
- Yellow
 - Hard
 - Open-celled, highly abrasive
 - Recommended grinding pastes: Cut Polish, Finish Polish
 - Round

Polishing pad RT / V2

Polishing pad RT / V2 (grey) is developed specially for use with rotary polishers. This coarse, very abrasive and open-celled polishing pad can be combined with a variety of grinding compounds, therefore, its use is universal. It is particularly suitable for removing deep scratches and paint defects on heavily weathered coated surfaces.

- Properties:**
- Grey
 - Hard
 - Open-celled, very abrasive
 - Recommended grinding pastes: Cut Polish, Finish Polish
 - Round

Art. No.:	Pad size:	Velour size:	Content:
SF10350.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10350.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10350.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces

Polishing pad RT / V3

Polishing pad RT / V3 (blue) is developed specially for use with rotary polishers. This medium-strength, moderately abrasive polishing pad can be combined with a variety of grinding pastes, hence its use is universal. It is particularly suitable for moderately weathered or brand new coated surfaces.

- Properties:**
- Blue
 - Medium
 - Open-celled, lightly abrasive
 - Recommended grinding pastes: Cut Polish, Finish Polish, Ultra Fine Polish
 - Round


Art. No.:	Pad size:	Velour size:	Content:
SF10351.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10351.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10351.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces

Polishing pad RT / V4

Polishing pad RT / V4 (black) is developed specially for use with rotary polishers. This very soft and fine-celled polishing pad is universally applicable and suitable for finishing work on brand new and pretreated coated surfaces. It provides a very attractive finish with a high gloss grade and removes slight holograms after grinding.

- Properties:**
- Black
 - Soft
 - Fine-celled
 - Recommended grinding pastes: Finish Polish, Ultra Fine Polish
 - Round

Art. No.:	Pad size:	Velour size:	Content:
SF10352.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10352.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10352.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces



Art. No.:	Pad size:	Velour size:	Content:
SF10176.2	Ø 93 mm, 14 mm thick	Ø 80 mm	4 pieces
SF10176.3	Ø 135 mm, 14 mm thick	Ø 125 mm	4 pieces
SF10176.4	Ø 160 mm, 14 mm thick	Ø 150 mm	4 pieces

Test set polishing pads RT / V1, V2, V3, V4 (1 piece each)

Das servFaces Premium Polierschwamm RT Testset ist speziell für die Anwendung mit Rotationspoliermaschinen entwickelt. Es enthält Polierschwämme von hart bis soft, von hoch bis sehr gering abrasiv und von offenzellig bis feinzellig. Die Polierschwämme sind mit unterschiedlichen Polituren kombinierbar und daher universell einsetzbar. Mit dem Testset können das perfekte Entfernen von tiefen Kratzern und Lackdefekten bis zum Finish einfach ausprobiert werden.

Recommended microfine abrasive pastes:

- Pre-Cut, Heavy Cut, Medium Cut, Fine Cut, Ultra Fine Cut

- Properties:
- Colors: black, blue, gray, yellow
 - Firmness levels: firm, medium, soft
 - open-cell, fine-cell
 - rounded shape



Art. No.:	Lambskin pad size:
SF10200	Ø 55 mm, 17 mm thick
SF10200.1	Ø 80 mm, 17 mm thick
SF10200.2	Ø 130 mm, 17 mm thick
SF10200.3	Ø 155 mm, 17 mm thick

Lambskin pad V1

servFaces lambskin polishing pads are for use with rotary polishers and are of the highest quality, they contain a fat content of 30-35% with a fiber density of approximately 24,000 fibers/cm2 (54s) The conical fiber structure provides a very gentle polishing effect without damaging the paint surface or creating micro scratches. The level of lambskin quality guarantees the best polishing results in combination with the servFaces polishing pastes..

Recommended microfine abrasive pastes:

- Pre-Cut, Heavy Cut, Medium Cut

- Properties:
- caramel / heavy cut for hard paints
 - rounded shape



Art. No.:	Lambskin pad size:
SF10201	Ø 55 mm, 17 mm thick
SF10201.1	Ø 80 mm, 17 mm thick
SF10201.2	Ø 130 mm, 17 mm thick
SF10201.3	Ø 155 mm, 17 mm thick

Lambskin pad V2

servFaces lambskin polishing pads are for use with rotary polishers and are of the highest quality, they contain a fat content of 30- 35% with a fiber density of approximately 24,000 fibers/cm2 (54s) The conical fiber structure provides a very gentle polishing effect without damaging the paint surface or creating micro scratches. The level of lambskin quality guarantees the best polishing results in combination with the servFaces polishing pastes.

Recommended microfine abrasive pastes:

- Pre-Cut, Heavy Cut, Medium Cut

- Properties:
- white / medium cut for normal paint
 - rounded shape



Art. No.:	Lambskin pad size:
SF10202	Ø 55 mm, 17 mm thick
SF10202.1	Ø 80 mm, 17 mm thick
SF10202.2	Ø 130 mm, 17 mm thick
SF10202.3	Ø 155 mm, 17 mm thick

Lambskin pad V3

servFaces lambskin polishing pads are for use with rotary polishers and are of the highest quality, they contain a fat content of 30- 35% with a fiber density of approximately 24,000 fibers/cm2 (54s) The conical fiber structure provides a very gentle polishing effect without damaging the paint surface or creating micro scratches. The level of lambskin quality guarantees the best polishing results in combination with the servFaces polishing pastes.

Recommended microfine abrasive pastes:

- Pre-Cut, Heavy Cut, Medium Cut

- Properties:
- grey / soft cut for soft paints
 - rounded shape

Polishing pads and skins for orbital and rotary polishers



Art. No.:	Pad size:	Velour size:	Mounting hole:
SF10474	Ø 100 mm, 19 mm hoch	Ø 80 mm	Ø 15 mm
SF10474.1	Ø 150 mm, 19 mm hoch	Ø 130 mm	Ø 22 mm

Polishing Pad SYNTEC EXTREME

The SYNTEC EXTREME polishing pad is specifically designed for use with both orbital and rotary polishers. The highly abrasive synthetic fiber is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing very deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable in use.

Recommended grinding pastes:

- Pre-Cut, Heavy Cut

- Properties:
- Special synthetic fiber
 - Dimensionally stable under heat
 - Reinforced, 2-layer hook-and-loop velour backing



Art. No.:	Size:
SF10257	Ø 80mm
SF10257.1	Ø 130mm
SF10257.2	Ø 155mm

Vitro Polishing Pads

Specially designed polishing pads for glass surfaces

The specially designed Vitro polishing pad is ideal for polishing glass surfaces. The special composite structure between the fur and rubber sponge guarantees the best polishing properties and ensures maximum abrasiveness when polishing clean glass surfaces. Ideal for use on rotary and eccentric polishers.



Polishing pads and skins for orbital and rotary polishers

Wool Pad NATURAL PRO

The NATURAL PRO wool pad is specifically designed for use with both orbital and rotary polishers. The highly abrasive natural wool fiber is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing very deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the wool pad highly durable, efficient, and sustainable in use.

Recommended grinding past:

- Pre-Cut, Heavy Cut

Properties:

- Natural wool fiber
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing

Wool Pad HYBRID MAX

The HYBRID MAX wool pad is specifically designed for use with orbital polishers. The highly abrasive blend of natural and synthetic wool fibers is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the wool pad highly durable, efficient, and sustainable in use.

Recommended grinding pastes:

- Pre-Cut, Heavy Cut, Medium Cut

Properties:

- Natural & synthetic wool fibers
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing

Wool Pad HYBRID PRO

The HYBRID PRO wool pad is specifically designed for use with both orbital and rotary polishers. The highly abrasive blend of natural and synthetic wool fibers is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing very deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the wool pad highly durable, efficient, and sustainable in use.

Recommended grinding pastes:

- Pre-Cut, Heavy Cut

Properties:

- Natural & synthetic wool fibers
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing

PERMANENT SURFACE COATING



PROTECTIVE FILM

Long-term protection from environmental influences, such as bird droppings and insects, for example.



MATERIAL PROTECTION

Surfaces permanently retain their original appearance




EASY-TO-CLEAN

Less cleaning effort. Dirt and water are repelled from the surface.



SUSTAINABILITY

Reduced use of cleaning chemicals harmful to the environment



SERVFACES EFFECT

servFaces coatings are designed to provide optimum and permanent protection of surfaces. The high-performance particles chemically bond to the surface and cover the pores. They form a very thin non-stick protective film after curing. This surface optimization is resistant to temperatures up to 1,090°C and protects the material from damage caused by oxidation, salts, acids and insects.

Furthermore, it confers water and dirt-repellent properties to the material. Cleaning effort will therefore be greatly reduced in subsequent car washing and use of cleaning chemicals harmful to the environment. Not only does this protect the material, but also the environment and valuable resources.

SURFACES PERMANENTLY PROTECTED

The Variety of Materials in Our Coatings



AUTOMOTIVE



HOME CARE



CARAVAN



MOTORCYCLE



AVIATION



BOAT & YACHT

VEHICLE AND EXTERIOR

Passenger car | Truck | Motorcycle | Camper | Bus | Van | Recreational boat | Yacht | Sailboat | Sport plane | Glider

PAINTED SURFACES

Protection against scratches, UV rays, and bird droppings.

WHEEL RIMS

Brake dust and road grime hardly stick to it.

FRONT AND SIDE WINDOWS

Self-cleaning effect caused by rain rolling off the surface.

PPF FILMS

Additional water repellency and protection of the film itself.

PLASTIC

Prevents trim and bumpers from fading.

METAL & CHROME

Protects against corrosion and oxidation; makes cleaning easier.

CONVERTIBLE TOPS

Water- and stain-repellent treatment.

BRAKE & EXHAUST SYSTEMS

Heat-resistant protection against corrosion and contamination.

GFK & GELCOAT

Effectively protects RVs and yachts from UV rays and oxidation.

LIVING SPACE AND INTERIOR

Furniture | Sunrooms | Windows | Upholstered Furniture | Rugs | Flooring | Plumbing and Bathrooms

SHOWER GLASS & BATHROOM FIXTURES

Limescale and soap scum don't stick as well.

TILES, MARBLE, GRANITE

Protection against stains on countertops and furniture.

GLASS AND WINDOWS

Self-cleaning effect caused by water rolling off the surface.

STAINLESS STEEL SURFACES

No fingerprints and easy to clean.

LEATHER

Protection against abrasion, discoloration, and liquids.

TEXTILES, SHOES, UPHOLSTERY

Liquids roll off and do not soak in immediately.

MAXIMUM PROTECTION

– DESIGNED FOR PROFESSIONALS



hydrophobic
effect



PFAS
free



permanent
protection



Lifetime:
One layer: Approx. 42 months
Each additional layer enhances the lifetime
by a further 9 – 12 months.

Coat Ultima

– PSR-Technology

Permanent paint coating for modern paint systems

Coat Ultima – PSR-Technology, based on the latest polymer SiO2 resin technology from servFaces, forms an extremely resistant, glass-like, and highly flexible protective layer after curing, which permanently protects vehicle paintwork and enhances its appearance. The surface becomes significantly glossier and takes on a visibly deeper color effect, giving the paintwork more depth and brilliance – for a permanently high-quality finish.

The coated surface becomes noticeably more scratch-resistant, more resistant to chemicals and temperature changes, and extremely resistant to UV radiation and environmental influences. This effectively protects the paint surface from corrosion, abrasion, and the damaging effects of external influences. At the same time, the creation of micro-scratches is noticeably reduced – for a permanently well-maintained, high-quality look and optimal value retention. Coat Ultima - PSR-Technology prevents damage by caustic and acidic products in the pH range of 1 - 13.5 on the transparent coat.

Areas of application:

- Modern paint systems with transparent coating
- Gloss & matte coatings
- Solvent stable Car Wrap- & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

Properties:

- PFAS-free
- Reduction of micro-scratches
- Resistant to cleaning agents & environmental influences (pH 1 – 13.5)
- UV resistant & environmentally stable
- Resistant to temperatures of -50°C - +890°C
- Corrosion prevention

- Water and dirt repellent (easy-to-clean effect)
- Glossy surface with enhanced color depth
- Long-lasting protection
- Preservation of paint value
- Simple to apply



50 ml	100 ml	1 liter
Art. No.: SF10460	Art. No.: SF10460.1	Art. No.: SF10460.2

SScope of delivery 50 ml Set: 1 x Applicator, 2 x Application cloth, 2 x Coating Booklet, 2x servFaces sticker, 1 x Application Booklet

Scope of delivery 100 ml Set: 2 x Applicator, 4 x Application cloth, 4 x Coating Booklet, 4x servFaces sticker, 1 x Application Booklet

Scope of delivery 1000 ml: no accessories included



PFAS
FREE



50 ml	100 ml	1 liter
Art. No.: SF10461	Art. No.: SF10461.1	Art. No.: SF10461.2

Scope of delivery 50 ml Set: 1 x Applicator, 2 x Application cloth, 2 x Coating Booklet, 2x servFaces sticker, 1 x Application Booklet
Scope of delivery 100 ml Set: 2 x Applicator, 4 x Application cloth, 4 x Coating Booklet, 4x servFaces sticker, 1 x Application Booklet
Scope of delivery 1000 ml: no accessories included



Lifetime:
One layer: Approx. 36 months
Each additional layer enhances the lifetime
by a further 8 – 9 months.



PFAS
FREE



50 ml	100 ml	1 liter
Art. No.: SF10462	Art. No.: SF10462.1	Art. No.: SF10462.2

Scope of delivery 50 ml Set: 1 x Applicator, 2 x Application cloth, 2 x Coating Booklet, 2x servFaces sticker, 1 x Application Booklet
Scope of delivery 100 ml Set: 2 x Applicator, 4 x Application cloth, 4 x Coating Booklet, 4x servFaces sticker, 1 x Application Booklet
Scope of delivery 1000 ml: no accessories included



Lifetime:
One layer: Approx. 24 Monate
Each additional layer enhances the lifetime
by a further 6 – 7 months.

ProCoat – PSR-Technology

Permanent paint coating for modern paint systems

ProCoat – PSR-Technology, based on the latest polymer SiO2 resin technology from servFaces, forms an extremely resistant, glass-like, and highly flexible protective layer after curing, which permanently protects vehicle paintwork and enhances its appearance. The surface becomes significantly glossier and takes on a visibly deeper color effect, giving the paint more depth and brilliance – for a permanently high-quality finish.

The coated surface becomes noticeably more scratch-resistant, more resistant to chemicals and temperature changes, and extremely resistant to UV radiation and environmental influences. This effectively protects the paint surface from corrosion, abrasion, and the damaging effects of external influences. At the same time, the creation of micro-scratches is noticeably reduced – for a permanently well-maintained, high-quality look and optimal value retention. The gloss guarantee is 4 - 5 years when used professionally!

Areas of application:

- Paint systems without transparent coat
- Modern paint systems with transparent coating
- Gloss & matte coatings
- Solvent stable Car Wrap- & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

Properties:

- PFAS-free
- Reduction of micro-scratches
- Resistant to cleaning agents & environmental influences (pH 1 – 13.5)
- UV resistant & environmentally stable
- Resistant to temperatures of -50°C - +890°C
- Corrosion prevention
- Water and dirt repellent (easy-to-clean effect)
- Glossy surface with enhanced color depth
- Long-lasting protection
- Preservation of paint value
- Simple to apply

Suave – PSR-Technology

Permanent paint coating for modern paint systems

Suave – PSR-Technology, based on the latest polymer SiO2 resin technology from servFaces, forms an extremely resistant, glass-like, and highly flexible protective layer after curing, which permanently protects vehicle paintwork and enhances its appearance. The surface becomes significantly glossier and takes on a visibly deeper color effect, giving the paintwork more depth and brilliance – for a permanently high-quality finish.

The coated surface becomes noticeably more scratch-resistant, more resistant to chemicals and temperature changes, and extremely resistant to UV radiation and environmental influences. This effectively protects the paint surface from corrosion, abrasion, and the damaging effects of external influences. At the same time, the creation of micro-scratches is noticeably reduced – for a permanently well-maintained, high-quality look and optimal value retention. The gloss guarantee is 3 years when used professionally!

Areas of application:

- Paint systems without transparent coat
- Modern paint systems with transparent coating
- Gloss & matte coatings
- Rims (painted and/or powder-coated)
- Solvent stable Car Wrap- & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

Properties:

- PFAS-free
- Reduction of micro-scratches
- Resistant to cleaning agents & environmental influences (pH 1 – 13)
- UV resistant & environmentally stable
- Resistant to temperatures of -50°C - +690°C
- Corrosion prevention
- Water and dirt repellent (easy-to-clean effect)
- Glossy surface with enhanced color depth
- Long-lasting protection
- Preservation of paint value
- Simple to apply



50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10004	Art. No.: SF10004.1	Art. No.: SF10004.2	Art. No.: SF10004.3

Scope of delivery 50 ml and 100 ml Set:
1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet
Scope of delivery 1,000 ml and 5,000 ml:
No accessories included

 **Lifetime:**
One layer: Approx. 30 – 36 months
Each additional layer enhances the lifetime by a further 9 – 12 months.

Coat Ultima - HSH Technology
Permanent paint coating for modern paint systems

„Coat Ultima - HSH Technology“ is one of servFaces´ most powerful hybrid silicon / polymer hard coatings, designed to provide optimum and permanent protection to coated surfaces. Its molecular matrix structure forms a very thin non-stick layer with extreme dirt-repellency, resilience and hardness. This protective coating greatly enhances the gloss and color of the coated surface.

The high-performance particles In Coat Ultima - HSH Technology chemically bond to the surface and lie over the coating pores. They form a protective high-gloss coat after curing. This very simple type of surface optimization protects paint from damage caused by oxidation, salt and insects.

- Areas of application:**
- Modern paint systems with transparent coating
 - Gloss & matte coatings
 - Solvent stable Car Wrap- & splinter protection films
 - Untreated plastic surfaces (Recommendation: Plastic Coat)

- Properties:**
- Long-term protection
 - Very high hydrophobic properties
 - Resistant to washing bays & stable gloss
 - Resistant to cleaning agents & environmental influences (pH 2 - 13)
 - UV resistant & environmentally stable
 - Easy-to-clean surfaces
 - Unique gloss & color depth
 - Resistant to temperatures from -50°C to +890°C



50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10177	Art. No.: SF10177.1	Art. No.: SF10177.2	upon request

Scope of delivery 50 ml and 100 ml Set:
1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet
Scope of delivery 1,000 ml and 5,000 ml:
No accessories included

 **Lifetime:**
One layer: Approx. 24 – 30 months
Each additional layer enhances the lifetime by a further 8 – 9 months.

ProCoat - HSH Technology
Permanent paint coating for modern paint systems

servFaces ProCoat - HSH Technology is a hybrid-silicon/polymer hard coating designed to provide optimum and permanent protection of painted surfaces. Its molecular matrix structure forms a very thin non-stick layer which is extremely dirt-repellent, resilient and hard. This protective coating greatly enhances the gloss and color of the coated surface.

The high-performance particles of ProCoat - HSH Technology chemically bond to the surface and cover the paint pores to form a high-gloss protective film after curing. This very simple type of surface optimization protects paint from damage caused by oxidation, salt, acids and insects.

- Areas of application:**
- Paint systems without transparent coat
 - Modern paint systems with transparent coat
 - Gloss and matte coatings
 - Solvent stable car wrap & splinter protection films
 - Untreated plastic surfaces (Recommendation: Plastic Coat)

- Properties:**
- Long-term protection
 - Very high hydrophobic properties
 - Resistant to washing bays & stable gloss
 - Resistant to cleaning agents & environmental influences (pH 2 - 13)
 - UV resistant & environmentally stable
 - Easy-to-clean surfaces
 - Unique gloss & color depth
 - Resistant to temperatures from -50°C to +890°C



50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10005	Art. No.: SF10005.1	Art. No.: SF10005.2	upon request

Scope of delivery 50 ml and 100 ml Set:
1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet
Scope of delivery 1,000 ml and 5,000 ml:
No accessories included

 **Lifetime:**
One layer: Approx. 18 – 24 months
Each additional layer enhances the lifetime by a further 6 – 7 months.

Suave - HSH Technology
Permanent paint coating for modern paint systems

Suave - HSH Technology is a hybrid polymer hard coating designed to provide optimum and permanent protection for coated surfaces. Its molecular matrix structure forms a very thin non-stick layer which is extremely dirt-repellent, resilient and hard. This protective coating greatly enhances the gloss and color of the coated surface.

The high-performance particles of Suave - HSH Technology chemically bond to the surface and cover the coating pores. They form a protective high-gloss coat after curing. This very simple type of surface optimization protects paint from damage caused by oxidation, salt, acids and insects.

- Areas of application:**
- Paint systems without transparent coat
 - Modern paint systems with transparent coat
 - Gloss and matte coatings
 - Rims (painted and/or powder-coated)
 - Solvent stable car wrap & splinter protection films
 - Untreated plastic surfaces

- Properties:**
- Long-term protection
 - Very high hydrophobic properties
 - Resistant to washing bays & stable gloss
 - Resistant to cleaning agents & environmental influences (pH 2 - 13)
 - UV resistant & environmentally stable
 - Easy-to-clean surfaces
 - Unique gloss & color depth
 - Resistant to temperatures from -50°C to +690°C





50 ml	100 ml	1000 ml
Art. No.: SF10490	Art. No.: SF10490.1	Art. No.: SF10490.2

Contents of the 50 ml set: 1 × applicator, 2 × application cloths, 1 × coating booklet, 1 × application booklet, 2 × servFaces stickers

Contents of the 100 ml set: 2 × applicators, 4 × application cloths, 4 × coating booklets, 1 × application booklet, 2 × servFaces stickers

Contents of the 1000 ml set: No accessories included

 **Lifetime:**
One layer: Approx. 30 – 36 months (manual washing) Each additional layer enhances the lifetime by a further 8 – 9 months.

Ceramic Coat Rims – PSR-Technologie

Surface coating for rims

Ceramic Coat Rims is a versatile, transparent protective coating designed for professional rim and wheel sealing on all vehicles. It is suitable for matte- and gloss-painted, powder-coated, or unpainted surfaces.

The integrated PSR technology relies on an advanced polymer-SiO₂ resin system that, upon curing, forms a highly durable, dirt-resistant, and extremely flexible protective layer. The formulation was specifically developed to meet the demanding mechanical and thermal requirements of the wheel area. In addition to extremely high heat resistance, the special resin reliably protects the surface against chemical etching caused by leaked brake fluid. Even at higher film thicknesses, the material retains its elasticity, effectively preventing cracking or flaking of the coating under load.

- Areas of application:**
- Painted and powder-coated wheels / rims
 - Glossy & matte paint finishes
 - High-gloss polished rims
 - Chrome rims

- Properties:**
- Long-lasting protection, PFAS-free
 - Highly hydrophobic
 - Car-wash resistant & stable gloss retention
 - Resistant to detergents & environmental influences (pH 2–13)
 - UV & weather-resistant
 - Easy-to-clean surface
 - Unique shine & depth of color
 - Temperature resistant from -50°C to +1050°C
 - Easy application



50 ml	100 ml
Art. No.: SF10182	Art. No.: SF10182.1

Scope of delivery 50 ml and 100 ml Set:
1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

 **Lifetime:**
One layer: Approx. 30 – 36 months (manual washing) Each additional layer enhances the lifetime by a further 8 – 9 months.

Ceramic Coat Rims - matt -

Surface coating for various types of rims

The transparent and high-strength surface coating of the servFaces line is a diverse and unique quality product for rim coating on all vehicles. It offers optimum protection on painted and unpainted surfaces of rims with a semi-gloss finish.

The highly-transparent coating forms a long-lasting protective film resistant to dirt and easy to clean with minimum consumption. Ceramic Coat Rims -matt- is resistant to temperatures up to +1,050°C as well. The product cannot be removed using conventional cleaning agents. Ceramic Coat Rims -matt- protects even from damage caused by leaking brake fluid thanks to the special integrated resin. Ceramic Coat Rims -matt- is very flexible up to a film thickness of 8 µm and therefore cannot chip or peel off.

- Areas of application:**
- Matte-painted and powder-coated wheels
 - Matte-painted and powder-coated exhaust components

- Properties:**
- Long-term protection
 - Very high hydrophobic properties
 - Resistant to washing bays & stable gloss
 - Resistant to cleaning agents & environmental influences (pH 2 - 13)
 - UV resistant & environmentally-stable
 - Easy-to-clean surfaces
 - Unique gloss & colour depth
 - Resistant to temperatures from -50°C to +1,050°C



50 ml	100 ml	1000 ml
Art. No.: SF10491	Art. No.: SF10491.1	Art. No.: SF10491.2

Contents of the 50 ml set: 1 × applicator, 2 × application cloths, 1 × coating booklet, 1 × application booklet, 2 × servFaces stickers

Contents of the 100 ml set: 2 × applicators, 4 × application cloths, 4 × coating booklets, 1 × application booklet, 2 × servFaces stickers

Contents of the 1000 ml set: No accessories included

 **Lifetime:**
One layer: Approx. 24 – 36 months Each additional layer enhances the lifetime for a further 8 – 9 months.

Plastic Coat – PSR-Technologie

Coating for matte and glossy plastic surfaces

This transparent, high-strength surface coating is a versatile, high-quality product designed for untreated, natural glossy and matte plastic surfaces.

PSR technology is based on polymer-SiO₂ resin technology. Upon curing, it forms a durable, highly flexible, dirt-resistant, and easy-to-clean protective layer. It offers long-term protection for plastic surfaces against environmental influences, preserves their original appearance, and reduces dirt adhesion. Even with thicker application layers, the material retains its elasticity, effectively preventing cracking or flaking under stress.

- Areas of application:**
- Untreated, natural plastic surfaces

- Properties:**
- PFAS-free
 - Long-lasting protection
 - Highly hydrophobic
 - Car-wash resistant and stable gloss retention
 - Resistant to detergents and environmental influences (pH value 2–13)
 - UV and weather-resistant
 - Easy-to-clean surface
 - Unique shine and depth of color
 - Temperature resistant from -50°C to +680°C
 - Easy application



50 ml	100 ml
Art. No.: SF10179	Art. No.: SF10179.1

Scope of delivery 50 ml and 100 ml Set:
1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

 **Lifetime:**
One layer: Approx. 24 – 36 months Each additional layer enhances the lifetime for a further 8 – 9 months.

Plastic Coat - matt -

Coating for plastic surfaces

This transparent and high-strength surface coating from the servFaces line is a diverse and unique quality product for plastic surfaces. Plastic Coat provides optimum protection for untreated, natural-finish plastic surfaces and creates silky gloss effects!

The highly-transparent coating forms a long-acting protective film resistant to dirt and easy to clean with minimum consumption. Plastic Coat is resistant to temperatures up to +680°C as well. Therefore, surfaces’ fireproof properties will not be negatively affected. The product cannot be removed with conventional cleaning agents. servFaces Plastic Coat has a special integrated UV blocker which effectively protects untreated plastics from discoloration for a long time. servFaces Plastic Coat is very flexible up to a film thickness of 5 µm and therefore cannot chip or peel off.

- Areas of application:**
- Untreated or natural-finish plastic surfaces

- Properties:**
- Long-term protection
 - Very high hydrophobic properties
 - Resistant to washing bays & stable gloss
 - Resistant to cleaning agents & environmental influences (pH 2 - 13)
 - UV resistant & environmentally stable
 - Easy-to-clean surfaces
 - Unique gloss & color depth
 - Resistant to temperatures from -50°C to +680°C
 - Simple application



50 ml	100 ml	1 liter
Art. No.: SF10013.3	Art. No.: SF10013.4	Art. No.: SF10013.2

Scope of delivery 50 ml Set: 1 x Applicator, 3 x Application Cloth, 2 x Coating Booklet, 2 x sticker, 1 x application booklet
Scope of delivery 100 ml Set: 2 x applicator, 6 x application cloth, 4 x coating booklet, 4 x sticker, 1 x application booklet
Scope of delivery 1000 ml: no accessories included

**Lifetime:**
Windscreens: Approx. 12 to 18 months
Side windows: 5 to 6 years
glass facades: Up to 10 years

Vitro Ultima
Surface optimization for glass surfaces

We offer you the greatest sealing protection for glass surfaces thanks to modern high-performance particles. servFaces Vitro Ultima binds directly to the glass molecules and considerably improves the dirt-repellent performance of the glass surface. The product has special surface functions and strong water-repellent properties. Surface optimization on vehicles with the servFaces Vitro product line provides a clear view even in unexpected heavy rain. Protect yourself, your environment and take care for better road safety.

- Areas of application:**
Windscreen treatment:
- Better view when it rains, especially on highways
 - In winter: time consuming scraping off of ice reduced to a minimum
 - In summer: Mosquito remains are easier to remove/ easy-to-clean

- Use on other glass surfaces (e.g. conservatories, porches, skylights, etc.):
- Extended cleaning cycle
 - Less cleaning agent necessary
 - Dirt is easier to remove

- Properties:**
- Easy-to-clean
 - Exceptional hydrophobic properties
 - Resistant to cleaning agents and environmental factors (pH 3-12)
 - Salt and limescale repellent
 - Protection from environmental influences
 - Extended cleaning intervals
 - Reduced costs
 - UV-resistant and long-term stability
 - Improved visibility and road safety
 - Preservation of the glass surface structure



50 ml	100 ml	1 liter
Art. No.: SF10011.3	Art. No.: SF10011.4	Art. No.: SF10011.2

Scope of delivery 50 ml Set: 1 x Applicator, 3 x Application Cloth, 2 x Coating Booklet, 2 x sticker, 1 x application booklet
Scope of delivery 100 ml Set: 2 x applicator, 6 x application cloth, 4 x coating booklet, 4 x sticker, 1 x application booklet
Scope of delivery 1000 ml: no accessories included

**Lifetime:**
Windscreens: Approx. 8 to 12 months
Side windows: 3 to 4 years
glass facades: Up to 7 years

Vitro Hydro
Surface optimization for glass surfaces

We offer you the greatest sealing protection for glass surfaces thanks to modern high-performance particles. servFaces Vitro Hydro binds directly to glass molecules and considerably improves the dirt-repellent performance of the glass surface. The product has special surface functions and strong water-repellent properties. Surface optimization on vehicles with the servFaces Vitro product line provides a clear view even in unexpected heavy rain. Protect yourself, your environment and take care for better road safety.

- Areas of application:**
Windscreen treatment:
- Better view when it rains, especially on highways
 - In winter: time consuming scraping off of ice reduced to a minimum
 - In summer: Mosquito remnants are easier to remove

- Use on other glass surfaces (e.g. conservatories, porches, skylights, etc.):
- Extended cleaning cycle
 - Less cleaning agent necessary
 - Dirt is easier to remove

- Properties:**
- Easy-to-clean
 - Exceptional hydrophobic properties
 - Resistant to cleaning agents and environmental factors (pH 3-12)
 - Salt and limescale repellent
 - Protection from environmental influences
 - Extended cleaning intervals
 - Reduced costs
 - UV-resistant and long-term stability
 - Improved visibility and road safety
 - Preservation of the glass surface structure



50 ml	100 ml	1000 ml
Art. No.: SF10014.3	Art. No.: SF10014.4	Art. No.: SF10014.2

Scope of delivery 50 ml Set: 1 x Applicator, 3 x Application Cloth, 2 x Coating Booklet, 2 x sticker, 1 x application booklet
Scope of delivery 100 ml Set: 2 x applicator, 6 x application cloth, 4 x coating booklet, 4 x sticker, 1 x application booklet
Scope of delivery 1000 ml: no accessories included

**Lifetime:**
Approx. 30 – 36 months

Vitro Shower Cabin
Permanent protective sealant for glass surfaces

Surface optimization with servFaces Vitro Shower Cabin protects shower cabin glass surfaces and all other glass surfaces in washrooms from limescale and lime deposits and prevents soap, shampoo or body fat deposits on glass surfaces. The high-performance particles of servFaces Vitro Shower Cabin bind directly to the material molecule, bond with the glass at the molecular level and considerably improve the dirt-repellent performance of the glass surface. After sealing, the glass surface become extremely hydrophobic and limescale repellent. The special combination of active ingredients in the nanoproduct ensure great protective effects and preserve the glass surface structure.

- Areas of application:**
- Glass shower enclosures
 - Glazed wall tiles
 - Sanitaryware

- Properties:**
- Easy-to-clean effects
 - Surfaces become extremely hydrophobic
 - Resistant to cleaning agents (pH: 2 - 13)
 - Salt & limescale repellent
 - Bionic dirt-repellent effects
 - Bionic dirt-free effects
 - UV-resistant
 - Resistant to aggressive salts and alkaline solutions
 - High resilience, long durability, high efficiency



100 ml
Art. No.: SF10027.2

**Lifetime:**
Approx. 3 to 6 weeks

Anti Fog
Anti-condensation agent

Anti-Fog is a newly developed, highly effective anti-condensation agent based on a hybrid polymer system. Thanks to the molecular structure, the individual molecules form a direct chemical bond with the treated surface. An intensive and crystal clear anti-condensation seal is achieved due to this transparent and highly effective anti-condensation protective film.

- Areas of application:**
- Glass and mirror surfaces in households
 - Glass and mirror surfaces in wet rooms such as wellness and sauna areas, swimming pools, showers, bathrooms
 - glass surfaces in the motor-vehicle sector

- Properties:**
- Prevents condensation on glass surfaces, particularly in substantial temperature fluctuations
 - Removes even stubborn dirt without any residues and leaves a clean streak-free surface
 - Silicone-free
 - Water-based
 - Protective effects last 3 to 6 weeks



500 ml	1 liter	5 liters
Art. No.: SF10017	Art. No.: SF10017.1	Art. No.: SF10017.2

 **Lifetime:**
Always according to the textile fiber, purpose of use and stress up to 24 months or max. 50 washing cycles at 30°C

Textil Ultima
High-performance textile coating



You can effectively protect nearly all types of textiles from water, dirt and stain formation thanks to modern high-performance particles. Appearance, color fastness and feel will thereby not be impaired in any way. Textiles are easy to maintain and remain breathable. Damage through discoloration or stain formation caused by aqueous and greasy dirt are things of the past.

Areas of application:
• For conventional textiles such as clothing, household textiles, seat covers, carpets, convertible rooftops, sun blinds and many more

Properties:
• Long-term protection
• Chemically resistant and environmentally stable
• Easy-to-clean surface
• Hydrophobic, oleophobic and dirt-repellent protective film
• Free of flammable solvents
• Breathable
• Natural softness /flexible



500 ml	1 liter	5 liters
Art. No.: SF10016	Art. No.: SF10016.1	Art. No.: SF10016.2

 **Lifetime:**
Always according to the textile fiber, purpose of use and stress up to 24 months or max. 50 washing cycles at 30°C

Textil Strong
High-performance textile coating

You can effectively protect nearly all types of textiles from water, dirt and stain formation thanks to modern high-performance particles. Appearance, color fastness and feel will thereby not be impaired in any way. Textiles are easy to maintain and remain breathable. Damage through discoloration or stain formation caused by aqueous and greasy dirt are things of the past.

Areas of application:
• For conventional textiles such as clothing, household textiles, seat covers and carpets

Properties:
• Long-term protection
• Chemically resistant and environmentally stable
• Easy-to-clean surface
• Hydrophobic, oleophobic and dirt-repellent protective film
• Free of flammable solvents
• Breathable
• Natural softness /flexible



100 ml	1 liter	5 liters
Art. No.: SF10018	Art. No.: SF10018.1	Art. No.: SF10018.2

Scope of delivery 100 ml Set: 1 x applicator, 2x application cloth, 1x spray nozzle, 1x booklet, 1x sticker

 **Lifetime:**
The lifetime is 12 – 24 months, always according to the substrate and surface stress.

Leather Ultima
Leather sealant

We can effectively protect nearly all types of leather from water, dirt and stain formation thanks to modern high-performance particles. Appearance, color or feel will thereby not be reduced in any way. Leather is easy to maintain and remains breathable. Damage caused by discoloration or oil and coffee stains or other frequently occurring causes are things of the past. servFaces Leather Ultima ensures permanent protection with state-of-the-art high-performance particles! Leather Ultima creates a dirt, water and rain-repellent protective film on the leather. The high-performance particles are stable and work for up to 18 months!

Areas of application:
• Covered smooth leather
• Semi-aniline leather
• Open-pore smooth leather
• Suede leather
• PU-leather and split leather

Properties:
• Long-term protection
• UV-resistant
• Easy-to-clean
• Water and dirt-repellent
• Breathable
• Simple application
• Colorless and transparent liquid
• Contains no Teflon, wax or silicone




50 ml	100 ml	1 liter
Art. No.: SF10076.3	Art. No.: SF10076.4	Art. No.: SF10076.2

Scope of delivery 50 ml Set: 1 x Applicator, 3 x Application Cloth, 2 x Coating Booklet, 2 x sticker, 1 x application booklet
Scope of delivery 100 ml Set: 2 x applicator, 6 x application cloth, 4 x coating booklet, 4 x sticker, 1 x application booklet
Scope of delivery 1000 ml: no accessories included

 **Lifetime:**
The lifetime is 2 – 10 years, always according to the substrate, surface stress and film thickness

Metal Coating
Surface coating



The transparent and high-strength surface coating of the servFaces line is a diverse and unique quality product for a variety of metal surfaces such as copper, bronze, precious metals, non-ferrous metals, galvanized (zinc-plated) metals, stainless steel, ferrous metals and many more. It offers optimum protection for most diverse areas of application. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance.

Areas of application:
• Copper, bronze, precious metals, non-ferrous metals, stainless steel
• Galvanized (zinc-plated) metals
• Ferrous metals

Properties:
• Transparent, invisible, flexible and permanent long-lasting coating.
• Does not contain siloxane, fluorine, Teflon, wax, silicone or carcinogenic additives
• UV and weather resistant
• Saltwater-proof
• Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
• Resistant to temperatures from -50 °C to + 890 °C (briefly +1,090°C)
• Resistant to chemicals (pH 2-13)
• Non-flammable/non-corrosive
• Increases hardness and scratch resistance, very high abrasion resistance
• Corrosion protection up to 10 years or longer
• Easy to clean
• Reduces fingerprints by up to 90 %
• Extends cleaning intervals and reduces cleaning and care costs




50 ml	100 ml	1 liter
Art. No.: SF10077.3	Art. No.: SF10077.4	Art. No.: SF10077.2

Scope of delivery 50 ml Set: 1 x Applicator, 3 x Application Cloth, 2 x Coating Booklet, 2 x sticker, 1 x application booklet
Scope of delivery 100 ml Set: 2 x applicator, 6 x application cloth, 4 x coating booklet, 4 x sticker, 1 x application booklet
Scope of delivery 1000 ml: no accessories included

 **Lifetime:**
The lifetime is 2 – 10 years always according to the substrate, surface stress and layer thickness.

Tile Coating
Surface coating



This transparent high-strength surface coating from the servFaces line is a diverse and unique quality product for a variety of smooth mineral surfaces, such as granite, marble, ceramic surfaces in sanitary areas, tiling and much more. It offers optimum protection for most diverse areas of application.

Food safety:
The coated surface has no harmful effects on health after curing. It can come in contact with food without any concerns. It is confirmed by a certificate issued by CBA GmbH.

Areas of application:
• Granite
• Marble
• Ceramic surfaces in sanitary areas
• Tiling

Properties:
• Transparent, invisible and flexible
• UV and weather resistant
• Saltwater-proof
• Resistant to cleaning agents of pH range 2 - 13
• Anti-graffiti effects
• Long-acting protection against oil, vinegar, orange and lemon juice, lipstick, red wine and much more
• Resistant to temperatures from -50 °C to + 890°C
• Increases hardness and scratch resistance
• Easy-to-clean
• Anti-scaling protection
• Reduces fingerprints by up to 90 %
• Extends cleaning intervals and thus reduces cleaning and care costs



500 ml	1000 ml	5000 ml
Art. No.: SF10022	Art. No.: SF10022.1	Art. No.: SF10022.2

Surface Cleaner Ultima – Step 1
servFaces surface cleaning before sealing/coating

Surface Cleaner Ultima and Surface Cleaner Neutra are part of the 2-stage cleaning concept specially developed for pre-cleaning of smooth surfaces before sealing. Cleaning using both cleaning agents is absolutely essential to obtain a clean and neutral surface before you proceed with sealing or coating. The cleaning process ensures optimum adhesion and interconnectedness of the individual coating products with the surface to be sealed.

Areas of application:

- Painted surfaces
- Metals
- Plastics
- Glass surfaces
- Polished stone surfaces
- Acryl glass
- Ceramics

Properties:

- Silicone-free
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface



500 ml	1000 ml	5000 ml
Art. No.: SF10023	Art. No.: SF10023.1	Art. No.: SF10023.2

Surface Cleaner Neutra – Step 2
servFaces surface cleaning before sealing/coating

Surface Cleaner Ultima and Surface Cleaner Neutra are part of the 2-stage cleaning concept specially developed for pre-cleaning of smooth surfaces before sealing. Cleaning using both cleaning agents is absolutely essential to obtain a clean and neutral surface before you proceed with sealing or coating. The cleaning process ensures optimum adhesion and interconnectedness of the individual coating products with the surface to be sealed.

Areas of application:

- Painted surfaces
- Metals
- Plastics
- Glass surfaces
- Polished stone surfaces
- Acryl glass
- Ceramics

Properties:

- Silicone-free
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface



750 ml	5000 ml
Art. No.: SF10518	Art. No.: SF10518.1

Surface Cleaner PRO
Degreaser & Inspection Spray

Surface Cleaner PRO is a specially developed cleaner for smooth, non-absorbent surfaces, offering the perfect combination of a degreaser and an inspection spray. As a degreaser, it effectively removes contaminants, grease, and polishing compound residues to optimally prepare the surface for sealing or coating. At the same time, it functions as an inspection spray during polishing to ensure surface quality. Surface Cleaner PRO is not just a cleaning system, but an indispensable partner for surface care. It ensures that your surfaces are clean and neutral, enabling outstanding adhesion and crosslinking of coating products.

Areas of Application:

- Painted surfaces
- Metals
- Plastics
- Glass surfaces
- Polished stone surfaces
- Ceramics

Properties:

- Streak-free cleaning
- Powerful cleaning performance
- Neutralizes the surface
- Material-friendly & silicone-free



500 ml	1000 ml	5000 ml
Art. No.: SF10024	Art. No.: SF10024.1	Art. No.: SF10024.2

Textil Cleaner
Surface cleaning before sealing / coating

servFaces Textil Cleaner is a specially developed cleaning agent suited for sealers to follow. The cleaning process with the respective product is absolutely essential to achieve a clean and neutral surface, before you start sealing/coating various surfaces. The cleaning process provides optimum adhesion and interconnectedness of individual products.

Areas of application:

- Interior textile
- Convertible rooftops
- Natural-finish plastic materials

Properties:

- Silicone-free
- Skin friendly
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface



500 ml	1000 ml	5000 ml
Art. No.: SF10025	Art. No.: SF10025.1	Art. No.: SF10025.2

Leather Cleaner
Surface cleaning before sealing / coating

servFaces Leather Cleaner is a specially developed cleaning agent suited for sealers to follow. The cleaning process with the respective product is absolutely essential to achieve a clean and neutral surface, before you start sealing/coating various surfaces. The cleaning process provides optimum adhesion and interconnectedness of individual products.

Areas of application:

- Smooth leather
- Suede leather & buckskin

Properties:

- Silicone-free
- Skin friendly
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface





AERO COATINGS

Aero Paint Coating

Surface coatings for aircraft

Technology for numerous aircraft surfaces. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

Multitalented for surface optimization

The highly-transparent coatings form a long-lasting protective coating resistant to scratches and dirt with minimum applied quantity. Hard coated layers are especially suited to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Moreover, our high-strength silicon hard coatings are extremely resistant to heat up to 1,800°C (always according to the formulation). Therefore, surface flame properties will not be negatively changed.

Areas of application:

- For all aircraft exterior coated surfaces (gliders, sports aircraft, etc.,). Suited also for cleaning plastic surfaces.

Properties:

- Transparent, invisible and flexible
- UV and weather proof
- Resistant to chemicals with pH range of 2 - 13
- Anti-graffiti effects
- Protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50°C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean
- Corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10048	Art. No.: SF10048.1	Art. No.: SF10048.2	Art. No.: SF10048.3

 **Lifetime:**
Approx. 3 - 5 years with a dry layer thickness of at least 5 µm

Aero Metal Coating

Surface coatings for aircraft

Technology for numerous aircraft surfaces. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

Multitalented for surface optimization

The highly-transparent coatings form a long-lasting protective coating resistant to scratches and dirt with minimum applied quantity. Hard coated layers are especially suited to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Moreover, our high-strength silicon hard coatings are extremely resistant to heat up to 1,800°C (always according to the formulation). Therefore, surface flame properties will not be negatively changed.

Areas of application:

- For all clean and untreated aircraft metal surfaces (gliders, sports aircraft, etc.,).

Properties:

- Transparent, invisible and flexible
- UV and weather proof
- Resistant to chemicals with pH range of 2 - 13
- Anti-graffiti effects
- Protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50°C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean
- Corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10049	Art. No.: SF10049.1	Art. No.: SF10049.2	Art. No.: SF10049.3

 **Lifetime:**
Approx. 3 - 5 years with a dry layer thickness of at least 5 µm

Aero Window Coating

Surface coatings for aircraft

Technology for numerous aircraft surfaces. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

Multitalented for surface optimization

The highly-transparent coatings form a long-lasting protective coating resistant to scratches and dirt with minimum applied quantity. Hard coated layers are especially suited to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Moreover, our high-strength silicon hard coatings are extremely resistant to heat up to 1,800°C (always according to the formulation). Therefore, surface flame properties will not be negatively changed.

Areas of application:

- For all clean and untreated aircraft glass surfaces (gliders, sports aircraft, etc.,).

Properties:

- Transparent, invisible and flexible
- UV and weather proof
- Resistant to chemicals with pH range of 2 - 13
- Anti-graffiti effects
- Protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50°C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean
- Corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10050	Art. No.: SF10050.1	Art. No.: SF10050.2	Art. No.: SF10050.3

 **Lifetime:**
Approx. 3 - 5 years with a dry layer thickness of at least 5 µm



YACHT
COATINGS



250 ml	500 ml	1 liter	5 liters
Art. No.: SF10045	Art. No.: SF10045.1	Art. No.: SF10045.2	Art. No.: SF10045.3



Lifetime:
The lifetime is 2 to 10 years, always according to the substrate, surface stress and film thickness

Yacht Paint Coating

Surface coatings for vessels

Technology for a variety of surfaces on all vessels. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

All-round talent for surface optimization

The highly-transparent coatings form a long-lasting protective layer resistant to scratches and dirt with minimum applied quantity. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Our hybrid, high-strength polymer hard-coated layer is also exceptionally resistant to temperatures up to max. +1,800° C (always according to formulation). Therefore, the surface's fire properties will not be negatively affected.

Areas of application:

- For all Gelcoat- & coated surfaces on vessels such as sports boats, yachts, sailboats and many more. Suitable also for clean plastic surfaces on sports vessels.

Properties:

- Transparent, invisible and flexible
- UV, weather- & saltwater-proof
- Resistant to chemicals in pH range 2 - 13
- Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50 °C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean & corrosion protection



250 ml	500 ml	1 liter	5 liters
Art. No.: SF10046	Art. No.: SF10046.1	Art. No.: SF10046.2	Art. No.: SF10046.3



Lifetime:
The lifetime is 2 to 10 years, always according to the substrate, surface stress and film thickness

Yacht Metal Coating

Surface coatings for vessels

Technology for a variety of surfaces on all vessels. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

All-round talent for surface optimization

The highly-transparent coatings form a long-lasting protective layer resistant to scratches and dirt with minimum applied quantity. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Our hybrid, high-strength polymer hard-coated layer is also exceptionally resistant to temperatures up to max. +1,800° C (always according to formulation). Therefore, the surface's fire properties will not be negatively affected.

Areas of application:

- For all clean and untreated metal surfaces on vessels such as sports boats, yachts, sailboats and many more.

Properties:

- Transparent, invisible and flexible
- UV, weather- & saltwater-proof
- Resistant to chemicals in pH range 2 - 13
- Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50 °C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean & corrosion protection

Yacht Window Coating

Surface coatings for vessels

Technology for a variety of surfaces on all vessels. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

All-round talent for surface optimization

The highly-transparent coatings form a long-lasting protective layer resistant to scratches and dirt with minimum applied quantity. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Our hybrid, high-strength polymer hard-coated layer is also exceptionally resistant to temperatures up to max. +1,800° C (always according to formulation). Therefore, the surface's fire properties will not be negatively affected.

Areas of application:

- For all clean and untreated glass surfaces on vessels such as sports boats, yachts, sailboats and many more.

Properties:

- Transparent, invisible and flexible
- UV, weather- & saltwater-proof
- Resistant to chemicals in pH range 2 - 13
- Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50 °C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean & corrosion protection



250 ml	500 ml	1 liter	5 liters
Art. No.: SF10047	Art. No.: SF10047.1	Art. No.: SF10047.2	Art. No.: SF10047.3



Lifetime:
The lifetime is 2 to 10 years, always according to the substrate, surface stress and film thickness



CARE

- PAINT CARE
- PLASTIC AND RUBBER CARE
- FABRIC CARE
- LEATHER CARE
- ACCESSORIES



250 ml	750 ml	5 liters
Art. No.: SF10218	Art. No.: SF10218.1	Art. No.: SF10218.2



Lifetime:
One layer: Approx. 8 – 12 weeks
To achieve a longer protection period, an additional layer can be applied after 60 minutes.

Hydro Seal

Spray sealant for smooth surfaces

Hydro Seal is a specially developed spray sealant for all smooth surfaces, such as paint, plastics and glass on automobiles, campers as well as exterior surfaces of yachts. The very simple and quick application guarantees the best gloss results. Hydro Seal enhances the gloss and colour depth. You can also use the product as care for vehicles protected with our coat sealants. This will extend the lifetime of individual coatings. Ideal for care of exhibition vehicles, new vehicles, freshly prepared painted surfaces or after car washing.

Areas of application:
• All smooth surfaces, such as paint, plastics and glass on automobiles, campers or exterior surfaces of yachts

Properties:
• very water-repellent
• increased gloss and smoothness
• resistant to weak acids and bases
• simple and quick application
• minimal consumption



250 ml	750 ml	5 liters
Art. No.: SF10161	Art. No.: SF10161.1	Art. No.: SF10161.2



Lifetime:
One layer: Approx. 8 – 10 weeks
To achieve a longer protection period, an additional layer can be applied after 60 minutes.

Hybrid Spray Wax

Wax polish spray for painted surfaces

Hybrid Spray Wax is a hybrid wax polish spray for all painted surfaces on automobiles, campers and exterior surfaces of yachts. This special combination guarantees very simple and quick application. Hybrid Spray Wax enhances the gloss and colour depth. You can also use the product as care for vehicles which are protected with our coat sealants. This will extend the lifetime of individual coatings. Ideal for care of exhibition vehicles, new vehicles, freshly prepared painted surfaces or after car washing.

Areas of application:
• All smooth surfaces such as paint and plastics on automobiles, campers or exterior surfaces of yachts

Properties:
• very water-repellent
• increased gloss and smoothness
• resistant to weak acids and bases
• simple and quick application
• minimal consumption



250 ml	750 ml	5 liters
Art. No.: SF10162	Art. No.: SF10162.1	Art. No.: SF10162.2



Lifetime:
One layer: Approx. 6 – 8 weeks
To achieve a longer protection period, an additional layer can be applied after 60 minutes.

Fast Shine - 3 in ONE

Surface cleaner with preservation effects

Fast Shine - 3 in ONE is a specially developed, oil-free silicone surface cleaner with active preservation effects. It can be applied on all stressed and brand new surfaces such as paint, plastics and glass on automobiles, campers and exterior surfaces of yachts. The very simple and quick application guarantees the best gloss results. The product removes lime stains after car washing. It binds directly to the paint molecules, improves the surface dirt-repellent properties and forms a very thin and water-repellent protective film. The product can be used on dry and wet (with a minimum reduction in performance) surfaces. To achieve the best results, the surface to be sealed should be cool and dry.

Areas of application:
• Ideal for quick cleaning and care of exhibition vehicles and exhibits
• Detail spraying
• Dry washing
• Quick sealing

Properties:
• Good hydrophobicity
• Enhanced gloss and smoothness
• Resistant to weak acids and bases
• Simple and quick application
• Minimal consumption
• Silicone oil-free

Hybrid Wax Creme

Paint protective creme

Hybrid Wax Creme is a specially developed wax cream based on hybrid polymers and premium synthetic wax. The unique hybrid formula of Hybrid Wax Creme protects painted surfaces on automobiles, campers and exterior surfaces of yachts. The very simple and quick application guarantees the best gloss results with very high hydrophobic effects.

Areas of application:

- Vehicles
- Yachts and boats
- Campers
- Motorcycles

Properties:

- Good hydrophobicity
- Enhanced gloss and smoothness
- Resistant to weak acids and bases
- Simple and quick application
- Minimal consumption
- Streak-free gloss
- Silicone-free

250 ml	500 ml
Art. No.: SF10255	Art. No.: SF10255.2



Lifetime:
One layer: Approx. 6 – 12 months
To achieve a longer protection period, an additional layer can be applied after 60 minutes.

Leather Cream

Lederreinigung & -pflege mit System

Leder ist anspruchsvoll. Bei falscher Pflege verliert es den geschmeidigen Griff und wird spröde. Das servFaces Leather Care System ist ein Rundum-Paket aus Reinigungs- und Pflegeprodukten – denn gut gepflegtes Leder macht länger Freude.

Nichts ist für die Ewigkeit, auch nicht die beste Leder-Imprägnierung. Abnutzung und Verschmutzungen greifen das Material an. Stark strapazierte Stellen brauchen besonders gute Pflege, wie zum Beispiel Armauflagen von Polstermöbeln, Autointerieur, Taschen oder Lederbekleidung. Auch Sonnenlicht und Wärme greifen die natürliche Fettung an.

Das Leder wird spröde und brüchig. Die servFaces Leather Cream erneuert den Schutz des Leders durch modernste Imprägnier-Technik. Durch die wirkungsvolle Rückfettungsformel bekommt das Leder verlorengegangene Feuchtigkeit und Elastizität zurück, ohne die Poren zu verkleben.

Areas of application:

- Leichte bis starke Verschmutzungen auf leicht bis stark pigmentiertem Glattleder (Auto- und Möbelpolster, Taschen, Koffer, Bekleidung).
- Nicht geeignet für: Nubuk-/ Velours-/ und Rauhleder

Properties:

- starke Schmutzlösekraft
- materialschonend
- hinterlässt keine Rückstände
- mattes Finish
- keine Veränderung der Haptik

250 ml	1 liter
Art. No.: SF10070	Art. No.: SF10070.1



250 ml	750 ml	5 liters
Art. No.: SF10164	Art. No.: SF10164.1	Art. No.: SF10164.2



Lifetime:
One layer: Approx. 6 to 12 weeks
The product can last up to 6 months always depending on use and cleaning intervals!

Cockpit & Plastic Care

Care and protection emulsion

Cockpit & Plastic Care is a care and protection emulsion that gives a deep black finish on various interior plastic surfaces (optionally also exteriors). The product restores lost moisture to the plastic surface and effectively protects it from discoloration and crack formation. The product creates a perfect semi-gloss finish and is the ideal choice for so-called „Soft Touch“ surfaces of modern vehicle interiors. It has dust repellent and antistatic effects, and protects plastic from repeated contamination, since the surface is not sticky.

Areas of application:

- Various plastic and rubber surfaces in the interior

Properties:

- UV-protection
- Antistatic surface
- Smooth surface feel
- Enhances color
- Simple and quick application
- Minimal consumption
- Free of silicone oil and solvents



250 ml	750 ml	5 liters
Art. No.: SF10163	Art. No.: SF10163.1	Art. No.: SF10163.2



Lifetime:
Approx. 3 to 6 weeks. Frequent driving in rain reduces the lifetime!

Tire & Rubber Care

Care and protection emulsion

Tire & Rubber Care is a care and protection emulsion which provides a deep black finish on tire walls and various rubber surfaces. The product restores lost moisture to the rubber surface and provides effective protection from discoloration and crack formation.

Areas of application:

- Tire walls and various exterior rubber surfaces

Properties:

- High water repellency
- Enhances color
- Simple and quick application
- Minimal consumption
- Leaves no greasy or sticky film on the surface
- Free of silicone oil and solvents



250 ml	750 ml	5 liters
Art. No.: SF10269	Art. No.: SF10269.1	Art. No.: SF10269.2



Lifetime:
One layer: Approx. 6 – 12 weeks
The product can last up to 6 months always depending on use and cleaning interval!

Motor Care & Clean

Care and protection emulsion with cleaning effects

Motor Care & Clean is a care and protection emulsion with cleaning effects which provides for an even deep black finish on a variety of plastic and rubber surfaces in the engine bay. The product restores lost moisture to the plastic surface and provides effective protection from discoloration or crack formation. The product creates a perfect semi-gloss finish and is suitable especially for modern plastic and rubber surfaces in the engine bay. It has dust repellent and antistatic effects, and protects plastic from repeated contamination, since the surface is not sticky.

Areas of application:

- Plastic and rubber surfaces in the engine bay

Properties:

- UV-protection
- Antistatic surface
- Smooth surface feel
- Enhances color
- Simple and quick application
- Minimal consumption
- Free of silicone oil and solvents

PRO 25 SERIES

Exclusively for business customers –
to help you reduce your operating costs.

The price per liter is significantly lower for bulk containers than for small containers. This directly reduces operating costs and increases the margin on every vehicle detailing or cleaning job. The containers are designed for professional use. Sturdy containers, secure closures, and easy-to-install dispensing nozzles



CANISTERS & BARRELS



CONSISTENT QUALITY



COST AND TIME SAVINGS



FEWER ORDERING PROCESSES



REDUCING PACKAGING



Car Washes



Portal Car Washes



Hand Wash



Self-service systems

Pro 25 Series



Pre-Wash PLUS // PWP-A1010 //
Pre-cleaner

servFaces Pre-Wash PLUS / PWP-A1010 is a modern, highly concentrated pre-cleaner. The special combination of sequestrants, surfactants and premium additives dissolves even the most stubborn dirt, such as insect remains, bird droppings, oil, fat and soot deposits. Special additives ensure high compatibility with sensitive components, e.g., plastics and anodized aluminum.

Areas of application:

- Passenger car & truck precleaning
- Engine bay cleaning
- Insect removal
- Preliminary cleaning of foam
- Trains & trams
- Construction machinery
- Industry & handicraft

Properties:

- Material friendly
- Environmentally friendly
- Phosphate-free and solvent-free
- Leaves no grey film
- Applicable with cold or hot water
- Removes oil, grease & soot deposits
- Highly concentrated
- Strong cleaning power
- High foaming power



Rust & Dust EXX // RDE-N4010 //
Rim cleaner and flash rust remover

servFaces Rust & Dust EXX / RDE-N4010 is a powerful, pH-neutral and acid-free high-performance cleaner based on reacting active substances and high-performance surfactants. Flash rust, burned-in brake dust and other inorganic dirt is removed quickly, efficiently and gently. An optimum combination of ingredients guarantees a long application time, so that the reacting active substances can infiltrate and effectively remove even stubborn and burned-in particles. The dirt dissolving power is visible thanks to the color indicator (red color reaction). High-grade surfactants coat the dissolved dirt, which can then be simply and easily rinsed off. Heavily soiled areas will possibly need some rework with a sponge or brush to allow better cleaning.

Areas of application:

- Painted surfaces, plastics, glass and rims on passenger cars and commercial vehicles

Properties:

- Powerful
- pH-neutral
- Acid-free
- Color indicator



Shampoo Wash // SW-N2010 //
Combination product for car washes and manual washing

servFaces Shampoo Wash / SW-N2010 is a very gentle and effective combination product (combining foam and shampoo) for gantry car washes, conveyor tunnel systems, self-service car washes and manual washing. The large content of surfactants guarantees a strong and stable foam action and intensive and paint-friendly cleaning performance. What is more, it supports self-cleaning and accordingly, extends the lifetime of cleaning brushes. Shampoo Wash / SW-N2010 is also very suitable for gentle cleaning of services coated with servFaces products.

Areas of application:

- Passenger cars, trucks, campers
- Buses and transporters
- Trains and trams
- Gantry car washes
- Conveyor tunnel systems
- Self-service car washes
- Manual washing

Properties:

- Phosphate-free and solvent-free
- Silicone-free
- Skin and environmentally friendly
- Highly concentrated
- Strong cleaning power



Multi Clean PLUS // MCP-5010 //
Universal cleaner for car interiors

servFaces Multi Clean PLUS/MCP-5010 is a slightly alkaline, highly-concentrated combination product for the whole car interior. It gently and effectively cleans upholstery, carpets, headlining and plastic without damaging sensitive surfaces. The high-grade surfactant combination penetrates deeply into textile fibers and dissolves even the most stubborn dirt such as oil, grease and nicotine residues. Multi Clean PLUS / MCP-5010 is also suited to powerful and effective cleaning of all surfaces in buildings, public transport and much more.

Areas of application:

- Car interiors
- Tiling, concrete and stone floors
- Furniture in public institutions
- Office buildings
- Trains & trams
- Industry and handicrafts
- Doors and windows

Properties:

- Leaves no streaks
- Removes heavy dirt
- Applicable cold or hot
- Highly concentrated
- Strong cleaning power
- Biologically degradable
- Develops no toxic vapors
- Skin and environmentally friendly



Acid Wheel Cleaner // AWC-S3010 //
Brake dust and flash rust remover

servFaces Acid Wheel Cleaner/AWC-S3010 is an effective combination product which effortlessly removes brake dust and flash rust on all acid-resistant surfaces. Thanks to the specially tuned formulation and a special additive for corrosion protection, it provides excellent protection for sensitive substrates such as plastic and painted surfaces.

Areas of application:

- Painted surfaces
- Aluminum and steel rims
- Plastic hub caps

Properties:

- Material and paint friendly
- Time-saving application
- Powerful
- Wide range of applications



Glass Clean PLUS // GCP-K9010 //
Premium glass cleaner

servFaces Glass Clean PLUS / GCP-K9010 is a modern and effective glass cleaner that protects material and cleans glass surfaces without streaking. Suited also to clean plastic surfaces. It is suitable for universal application and effortlessly removes insect remains, nicotine, grease and oil.

Areas of application:

- Glass facades & windows
- Car windows
- Plastic discs
- Window frames
- Glass tables & mirrors

Properties:

- Silicone-free
- Cleans without streaking
- Strong cleaning power
- Economical



10 kg	25 kg
Art. No.: SF10289	Art. No.: SF10289.1

 **Lifetime:**
One layer: Approx. 8 to 12 weeks
The product can last up to 6 months always depending on use and cleaning intervals!

Interior Plastic & Rubber Care // PRC-I6010 //
Care and protection emulsion

servFaces Interior Plastic & Rubber Care / PRC-I6010 is a care and protection emulsion that provides a deep black finish on various interior plastic surfaces. The product restores lost moisture to the plastic surface and provides effective protection from discoloration and/or crack formation. The product creates a perfect semi-gloss finish and is the ideal choice for so-called „Soft Touch“ surfaces of modern vehicle interiors. It has dust repellent and antistatic effects, and protects plastic from repeated contamination, since the surface is not sticky.

Areas of application:
• Plastic and rubber surfaces

Properties:
• UV-protection
• Antistatic surface
• Enhances color
• Simple and quick application
• Smooth surface feel
• Minimal consumption
• Solvent and silicone oil-free



1 liter
Art. No.: SF10290.2

Exterior Plastic & Rubber Care // PRC-E7010 //
Plastics and rubber care product

Exterior Plastic & Rubber Care / PRC-E7010 is a plastics and rubber care product of premium quality. It provides care and protection for weeks and is exceptionally UV-stable. Thanks to its high-quality care components, which tightly bind with the treated surface, it restores the original semi-gloss appearance of the treated surface. The product is distinguished by a long lifetime and quick and simple application. It is ideally suited to tires and rubber parts. Exterior Plastic & Rubber Care / PRC-E7010 also prevents freezing of door seals.

Areas of application:
• Plastic and rubber surfaces on the exterior

Properties:
• Good water repellency
• Enhances color
• Simple and quick application
• Minimal consumption
• Leaves no greasy or sticky film on the surface
• Long-lasting protection



10 kg	25 kg
Art. No.: SF10291	Art. No.: SF10291.1

 **Lifetime:**
One layer: Approx. 6 to 12 weeks
The product can last up to 6 months always depending on use and cleaning intervals!

Motor Shine & Care // MSC-8010 //
Care and protection emulsion

servFaces Motor Shine & Care / MSC-8010 is a care and protection emulsion with cleaning effects. It provides a deep black finish on a variety of plastic and rubber surfaces in the engine bay. The product restores lost moisture to the plastic surface and provides effective protection from discoloration or crack formation. It creates a perfect semi-gloss finish and is suitable especially for modern plastic and rubber surfaces in the engine bay. It has dust-repellent and antistatic properties and protects plastics from repeated contamination, since the surface is not sticky.

Areas of application:
• Plastic and rubber surfaces in the engine bay

Properties:
• UV-protection
• Antistatic and dust repellent surface
• Enhances color
• Simple and quick application
• Smooth surface feel
• Minimal consumption
• Solvent and silicone oil-free



25 kg	200 kg
Art. No.: SF10426	Art. No.: SF10426.1



Hydro Shampoo & Foam // HSF-HC1000 //
2 in 1 condition shampoo and snow foam with long-term sealing

servFaces Hydro Shampoo & Foam from the Pro25 series is a combination of a condition shampoo and snow foam with sealing effect, based on the new Hydro-Ceramic-Technology from servfaces. The new preservative formulation ensures, that the water and dirt-repellent preservation effect lasts for a long time on surfaces. The easy application enables to receive a very smooth and highly hydrophobic surface with a deep shine within a very short time.

Areas of application:
• Motorcycles and Scooters
• Vehicles in the motor-vehicle sector
• Camper
• Lacquer, glass, metal and plastic surfaces
• Yachts and boats

Properties:
• Very water-repellent
• Enhances gloss & smoothness
• Resistant to weak acids and bases
• Simple and quick application
• Minimal consumption

ALSO AVAILABLE AS TEST SETS!
In small containers ranging from 500 ml to 1 liter



HYDRO CERAMIC TECHNOLOGY

Long-lasting protection and care for various surfaces



AUTOMOTIVE



HOME CARE



CARAVAN



MOTORCYCLE



AVIATION



BOAT & YACHT



Hydro Ceramic Paint Coat 365

Ceramic Sealant

Hydro Ceramic Paint Coat 365 is a hybrid ceramic sealant designed for fast and efficient paint protection. The product is ideally suited for all painted and plastic surfaces on automobiles, motorcycles, caravans, and yacht exteriors. Its exceptionally easy and fast application ensures outstanding gloss results, intense color enhancement, and highly effective water repellency.

The product bonds directly to the paint molecules, improves the surface's dirt-repellent properties, and creates an ultra-thin, water-repellent protective layer.

Thanks to its very simple and fast application, the product is highly versatile and ideally suited for both professional and private use.

Areas of application:

- Painted surfaces on automobiles, motorcycles, caravans, and yacht exteriors
- Unpainted plastic surfaces

Properties:

- PFAS-free
- Excellent water repellency
- Enhances gloss and smoothness
- Resistant to mild acids and bases, pH 2-11
- Easy and fast application
- Minimal product consumption

30 ml	50 ml
Art. No.: SF10504	Art. No.: SF10504.1

30 ml Set Contents:

1 × applicator, 2 × application cloth, 1 × application booklet

50 ml Set Contents:

1 × applicator, 4 × application cloth, 1 × application booklet



Lifetime:

One layer: Approx. up to 365 days
Each additional layer enhances the lifetime for a further 3 - 4 months.



Hydro Ceramic Rim Coat 547

Felgenversiegelung

Hydro Ceramic Rim Coat 547 ist eine hybride Keramikversiegelung für die schnelle und effiziente Felgenversiegelung. Das Produkt gewährleistet eine hohe Schutzfunktion für lackierte und unlackierte Felgenoberflächen und sorgt gleichzeitig für eine beeindruckende Glanzsteigerung.

Die hochtransparente Beschichtung bildet bereits bei minimaler Auftragsmenge eine schmutzresistente sowie leicht zu reinigende Schutzschicht. Hydro Ceramic Rim Coat 547 zudem bis zu 350°C hitzebeständig.

Hydro Ceramic Rim Coat 547 ist bis zu einer Schichtdicke von 8 µm sehr flexibel und kann daher weder brechen oder abplatzen.

Areas of application:

- lackierte und pulverbeschichtete Felgen
- Glanz- & Mattlackierungen
- hochglanzpolierte Felgen
- Chromfelgen

Properties:

- PFAS-frei
- starke Wasserabweisung
- erhöht Glanz und Glätte
- unempfindlich gegenüber schwachen Säuren und Basen (pH: 2-12)
- einfache und schnelle Verarbeitung
- minimaler Verbrauch

30 ml	50 ml
Art. No.: SF10515	Art. No.: SF10515.1

Lieferumfang 30 ml Set:

1 x Applikator, 2 x Applikationstuch, 1 x Anwendungsbooklet

Lieferumfang 50 ml Set:

1 x Applikator, 4 x Applikationstuch, 1 x Anwendungsbooklet



Lifetime:

One layer: Approx. up to 547 days
Each additional layer enhances the lifetime for a further 3 - 4 months.



1 liter	5 liters
Art. No.: SF10417.4	Art. No.: SF10417.5

 **Lifetime:**
Protection lasts approx. 8 – 10 weeks

Hydro Ceramic Foam

Snow Foam mit Langzeitkonservierung

servFaces Hydro Ceramic Foam is a Snow Foam with sealing effects based on the latest „Hydro Ceramic“ technology from servFaces. The new preservative formulation ensures that its water and dirt repellent preservative effect on surfaces lasts for a long time. Thanks to the simple application, you get a very smooth and highly hydrophobic surface with deep gloss in a very short time. The product is also ideal for vehicle surfaces protected with wax- and polymer-based paint sealants, such as Hybrid Wax Creme. This can extend the protective effect of the individual sealant.

- Areas of application:**
 - Vehicles in motor-vehicle sector
 - Motorhomes
 - Motorcycles / Scooters
 - Boats
 - Lacquer, glass, metal and plastic surfaces
- Properties:**
 - Strongly water-repellent
 - Increases gloss and smoothness
 - Resistant to weak acids and bases
 - Simple and fast processing
 - Minimal consumption



1 liter	5 liters
Art. No.: SF10416.4	Art. No.: SF10416.5

 **Lifetime:**
Protection lasts approx. 6 – 8 weeks

Hydro Ceramic Shampoo

Conditioning shampoo with sealing effects

Hydro Ceramic Shampoo is a conditioning shampoo with sealing effects based on the latest Hydro-Ceramic-technology from servFaces. This new preservation technology enhances gloss and creates a very smooth, strong hydrophobic surface. The combination of a new cleaning and preservative formulation enables thorough cleaning and provides a long-lasting water and dirt-repellent surface in one operation. The product is also ideal for vehicle surfaces protected with wax- and polymer-based paint sealants, such as Hybrid Wax Creme. This can extend the protective effect of the individual sealant.

- Areas of application:**
 - Vehicles in the motor-vehicle sector
 - Motorhomes
 - Motorcycles / Scooters
 - Boats
 - Lacquer, glass, metal and plastic surfaces
- Properties:**
 - Strongly water-repellent
 - Increases gloss and smoothness
 - Resistant to weak acids and bases
 - Simple and fast processing
 - Minimal consumption



750 ml	5 Liter
Art. No.: SF10497	Art. No.: SF10497.1

 **Lifetime:**
Depending on the application and the exposure of the surface, durability ranges from 3 weeks to 4 months.

Hydro Ceramic Glass Cleaner

Glass Cleaner with Water-Repellent Effect

Hydro Ceramic Glass Cleaner is a user-friendly glass cleaner with a quick sealant effect for glass surfaces, based on Hydro Ceramic technology. The product is ideal for protecting and maintaining various glass surfaces and can be used on automobiles, caravans, boats, motorcycles, in home care applications, and on similar exterior surfaces. After cleaning, a very thin, water-repellent protective film forms. This supports the dirt-repellent properties of the treated glass surface and improves its visual appearance. The surface gains enhanced smoothness and strong water repellency.

- Areas of application:**
 - Vehicle glass surfaces
 - Glass surfaces in and around the home
 - Shower glass
- Properties:**
 - Pronounced water-repellent effect
 - Supports surface smoothness
 - Resistant to weak acids and bases
 - Fast and easy application
 - Low product consumption



750 ml	5 liters
Art. No.: SF10521	Art. No.: SF10521.1

 **Lifetime:**
Protection lasts approx. 6 – 8 weeks

Hydro Ceramic Wet Coat

High-performance wet sealing

servFaces Hydro Ceramic Wet Coat is a high-performance wet sealing based on the latest Hydro-Ceramic technology from servFaces. The new preservative formulation provides a long-lasting water- and dirt-repellent surface. This new preservation technology deepens gloss and creates a very smooth, highly hydrophobic surface. The product is also ideal for vehicle surfaces protected with wax- and polymer-based paint sealants, such as Hybrid Wax Creme. This can extend the protective effect of the individual sealant.

- Areas of application:**
 - Vehicles in motor-vehicle sector
 - Motorhomes
 - Motorcycles / Scooters
 - Boats
 - Lacquer, glass, metal and plastic surfaces
- Properties:**
 - Strongly water-repellent
 - Increases gloss and smoothness
 - Resistant to weak acids and bases
 - Simple and fast to use
 - Minimal consumption



750 ml	5 liters
Art. No.: SF10516	Art. No.: SF10516.1

 **Lifetime:**
Protection lasts approx. 5–8 weeks

Hydro Ceramic Q-Detailer

Quick Detailer and Spray Sealant

Hydro Ceramic Q-Detailer is a user-friendly quick detailer and spray sealant based on Hydro Ceramic technology. The product is suitable for protecting and caring for various surfaces, such as painted surfaces, unpainted plastic components, and glass surfaces. It can be used on automobiles, RVs, boats, motorcycles, in home care applications, and on comparable exterior surfaces. After application, a very thin, water-repellent protective film is created. This supports the dirt-repellent properties of the treated surface and enhances its visual appearance. The surface gains a more intense gloss as well as visibly enhanced color depth and surface smoothness.

- Areas of Application:**
 - Painted vehicle surfaces
 - Unpainted plastic surfaces
 - Various glass surfaces
- Properties:**
 - Excellent water-repellent effect
 - Enhances gloss, color depth, and surface smoothness
 - Resistant to weak acids and bases
 - Quick and easy application
 - Low product consumption



750 ml	5 liters
Art. No.: SF10509	Art. No.: SF10509.1

 **Lifetime:**
Protection lasts approx. 6–8 weeks.
(Depending on usage and cleaning frequency, the product can last up to 3 months!)

Hydro Ceramic Interior Detailer

Interior Detailer with Long-Lasting Effect

Hydro Ceramic Interior Detailer is a user-friendly detailing spray with gentle cleaning power and a long-lasting protective function, based on Hydro-Ceramic technology. The product is suitable for protecting and caring for a variety of interior vehicle surfaces, such as plastic and leather surfaces. It can be used in automobiles, caravans, boats, and home-care applications. After application, an ultra-thin, water-repellent protective film is created. This supports dirt-repellent properties, reduces dust adhesion on treated surfaces, and enhances their visual appearance. The surface receives an intensive finish as well as visibly improved color depth and surface smoothness.

- Areas of Application:**
 - Various plastic and leather surfaces
- Properties:**
 - Gentle cleaning action
 - Smooth feel
 - Enhances color depth
 - Quick and easy application
 - Minimal product consumption
 - Solvent-free
 - Silicone-oil-free
 - UV protection



750 ml	5 liters
Art. No.: SF10499	Art. No.: SF10499.1

 **Lifetime:**
Protection lasts approx. 7–10 weeks

Hydro Ceramic All-in-ONE Seal

Spray Sealant for Paint, Unpainted Plastics, and Glass

Hydro Ceramic All-in-ONE Seal is a user-friendly spray sealant based on Hydro Ceramic technology. The product is suitable for protecting and maintaining various surfaces, such as painted surfaces, unpainted plastic components, and glass surfaces. It can be used on automobiles, RVs, boats, motorcycles, and similar exterior surfaces. After application, it forms a very thin, highly water-repellent protective film. This supports the dirt-repellent properties of the treated surface and improves its appearance. The surface receives a more intense gloss and visibly enhanced color depth.

- Areas of application:**
- Painted vehicle surfaces
 - Unpainted plastic surfaces
 - Various glass surfaces

- Properties:**
- Highly water-repellent effect
 - Enhances gloss and color depth
 - Resistant to mild acids and bases
 - Fast, easy application
 - Low product consumption

Hydro Ceramic Wax Coat

SiO² Ceramic Wax Cream

Hydro Ceramic Wax Coat is a user-friendly paint protection cream based on Hydro Ceramic technology. This innovative hybrid formula protects painted surfaces on automobiles, caravans, motorcycles, and yacht exteriors. Synthetic waxes provide maximum layer build and create a highly water-repellent protective film. This supports the dirt-repellent properties of the treated surface and enhances its appearance. The surface gains intensified gloss as well as noticeably improved color depth and smoothness

- Areas of Application:**
- Painted surfaces on automobiles, motorcycles, caravans, and yacht exteriors.

- Properties:**
- Very high water repellency
 - Enhances gloss, color depth, and paint smoothness
 - Resistant to weak acids and bases
 - Fast, easy application
 - Low product consumption
 - Ideal for daily-driven and show vehicles



500 ml
Art. No.: SF10498

 **Lifetime:**
Protection lasts approx. 6–12 months. To extend the protection period, Hydro Ceramic Wax Seal can be used as a maintenance product.

Hydro Ceramic Wax Seal

SiO² Ceramic Spray Wax

Hydro Ceramic Wax Seal is a user-friendly ceramic spray wax based on Hydro Ceramic technology. With this innovative hybrid formula, Hydro Ceramic Wax Seal protects painted surfaces on cars, campers, and motorcycles, as well as the exterior surfaces of yachts. The combination of polymers and synthetic wax ensures maximum layer buildup and creates a highly water-repellent protective film. This enhances the dirt-repellent properties of the treated surface and improves its visual appearance. The surface gains a more intense shine as well as visibly enhanced color depth and smoothness.

- Areas of application:**
- Painted surfaces on automobiles, motorcycles, campers, and the exterior surfaces of yachts

- Properties:**
- Very high water-repellent effect
 - Enhances shine, color depth, and paint smoothness
 - Resistant to weak acids and bases
 - Simple and quick application
 - Minimal consumption
 - Ideal for everyday vehicles and show cars



750 ml	5 Liter
Art. No.: SF10520	Art. No.: SF10520.1

 **Standzeit:**
Protection lasts approx. 6–9 weeks. To extend the duration of protection, you can apply another layer after 15 minutes.



500 ml	1 liter
Art. No.: SF10419	Art. No.: SF10419.1

 **Lifetime:**
Depending on application and surface exposure, between 3 and 12 weeks.

Hydro Ceramic Tire & Plastic GEL

Tire, Rubber & Plastic Care Gel

Hydro Ceramic Tire & Plastic GEL is a tire, rubber and plastic care gel based on Hydro Ceramic technology. The product is suitable for the care and protection of various exterior vehicle surfaces, such as tire sidewalls, rubber components and unpainted plastic parts. It can be used on automobiles, caravans, boats, in home care applications and on comparable exterior surfaces. After application, the product leaves a deep black finish and a non-sticky, water-repellent surface. The easy-to-clean effect ensures that dirt and deposits can be removed effortlessly, making care and cleaning significantly easier.

- Areas of Application:**
- Tire sidewalls
 - Rubber components
 - Unpainted plastic components
 - Plastic and rubber components in the engine compartment

- Properties:**
- High water repellency
 - Enhances colour depth
 - Quick and easy application
 - Low consumption
 - Leaves no greasy or sticky film on the surface
 - Long-lasting protection

fillium

PPF & WRAP PRODUCTS

Long-lasting protection and care for various surfaces





PPF & Wrap Coat

Long-Term Sealing for PPF, Wrap, and Vinyl Films

PPF & Wrap Coat is part of the fillium product line and is based on servFaces’ latest polymer-SiO₂ resin technology. Once cured, the product forms an extremely durable, glass-like, and highly flexible protective layer on the film’s surface. This provides long-term protection and enhances the appearance of PPF, wrap, and vinyl films without negatively affecting their properties—such as the film surface’s self-healing ability. The film surface becomes significantly glossier and takes on a visibly deeper color effect. This gives the surface greater depth and brilliance for a long-lasting, high-quality finish.

Areas of application:

- PPF, wrap, and vinyl films (glossy and matte)
- Car wrapping
- Vehicle lettering / advertising elements

Properties:

- Reduces traffic deposits
- Resistant to cleaning agents (pH 1–12.5)
- Temperature-resistant from -45°C to +490°C
- Water- and dirt-repellent (easy-to-clean effect)
- Glossy surface with enhanced color depth
- UV- and weather-resistant
- Long-lasting protection & Easy to apply
- Preserves the value of the films

30 ml Set: 1 x applicator, 2x application cloth, 1x coating booklet, 1x application booklet, 1x stickers
50 ml Set: 1 x applicator, 4 x application cloth, 2 x coating booklet, 1 x application booklet, 2 x stickers

 **Lifetime:**
Protection lasts for approximately 30 months. With each additional layer, the service life increases by an additional 6–7 months.

PPF & Wrap PREP-Polish

Primer Polish for PPF, Wrap, and Vinyl Films

PPF & Wrap PREP-Polish is a silicone-free, micro-fine primer polish from the fillium product line. It is suitable for all glossy PPF, wrap, and vinyl films. The specially developed formula with additives activates the film’s top coat. This allows the coating applied afterward to bond more effectively to the top coat without negatively affecting the properties of the film surface, such as its self-healing capability.

Areas of application:

- Glossy PPF, wrap, and vinyl films
- Car-wrapping films
- Vehicle lettering and advertising graphics

Properties:

- Grinding grade: 1
- Gloss grade: 11



PPF & Wrap Q-Detailer

Detail Spray and Quick Sealant for PPF & Wrap Films

PPF & Wrap Q-Detailer is part of the fillium product line and serves combines a detailing spray and a quick sealant. It is based on Hydro-Ceramic technology and is particularly user-friendly. After application, it forms a very thin, water-repellent protective film. This film enhances the dirt-repellent properties of the treated film and improves its visual appearance. The surface gains a more intense shine as well as visibly enhanced color depth and surface smoothness.

Areas of application:

- Untreated PPF, wrap, and vinyl films (glossy and matte)
- Sealed PPF, wrap, and vinyl films (glossy and matte)
- Car wrapping film (glossy and matte)
- Vehicle graphics / advertising elements

Properties:

- Strong water-repellent effect
- Enhances gloss, color depth, and surface smoothness
- Resistant to weak acids and bases
- Quick and easy application
- Low product consumption



 **Lifetime:**
Protection lasts approximately 5–8 weeks



PPF & Film PREP Solution

Pre-cleaner & Degreaser

servFaces PPF & Film PREP Solution is a specially formulated pre-cleaner that is optimally designed for preparing surfaces for film application. The unique combination of high-quality raw materials allows for the effective removal of oils, greases, and light tar and tree resin stains without damaging the surface. Additionally, servFaces PPF & Film PREP Solution dries without leaving any residue, ensuring a clean and reliable base for subsequent film application

Areas of application:

- Painted surfaces, Gelcoat surfaces
- Glass surfaces
- Plastics (excluding acrylic glass & polycarbonate)
- A wide variety of metal surfaces

Properties:

- Powerful cleaning action
- Leaves no streaks

PPF & Film Application GEL (ready-to-use)

Ready-to-use installation gel for self-adhesive films

servFaces PPF & Film Application GEL is a transparent, medium-viscosity slip solution gel specifically designed to significantly simplify the application of paint protection films. This gel is characterized by its gel-like yet highly sprayable consistency, which allows for easy application using spray bottles and various spray applicators.

Application Areas:

- Painted surfaces, Gelcoat surfaces
- Glass surfaces
- Plastics (including acrylic glass and polycarbonate)
- A wide variety of metal surfaces

Properties:

- Ready to use
- High viscosity
- Evaporates quickly after application
- Adheres well to horizontal and vertical surfaces
- Makes it easier to apply paint protection films



PPF & Film Application GEL (Concentrate)

Installation gel concentrate for self-adhesive films

servFaces PPF & Film Application GEL is a concentrate for preparing an application fluid / slip solution and was specially developed to significantly simplify the application of paint protection films. This transparent, medium-viscosity gel is characterized by its gel-like yet highly sprayable consistency, which allows for easy application using spray bottles and various spray devices.

Areas of Application:

- Painted surfaces, Gelcoat surfaces
- Glass surfaces
- Plastics (including acrylic glass or polycarbonate)
- A wide variety of metal surfaces

Properties:

- Concentrated formula for mixing yourself
- High viscosity
- Evaporates quickly after application
- Adheres well to horizontal and vertical surfaces
- Makes it easier to apply paint protection films



PPF & Film Application Fluid

Concentrated installation fluid for self-adhesive films

servFaces PPF & Film Application Fluid is a concentrate for preparing an installation fluid / slip solution and has been specially developed to significantly simplify the application of paint protection and sun protection films. This transparent, low-viscosity installation fluid is characterized by its fine spray and wetting properties, which allow for easy application using spray bottles and various spray devices.

Areas of application:

- Painted surfaces, Gelcoat surfaces
- Glass surfaces
- Plastics (including acrylic glass and polycarbonate)
- A wide variety of metal surfaces


Properties:

- Concentrated formula for mixing yourself
- Easy to spray
- Evaporates quickly after spreading
- Excellent wetting properties
- Makes it easier to apply paint protection films



ACCESSORIES FOR CLEANING AND CARE

MICROFIBER CLOTH
SPONGES AND CLEANING SUPPLIES
APPLICATORS AND APPLICATION CLOTHS



Microfiber cloths



Special Coating Towels

Microfiber cloths with seamless edge – pack of 10



The servFaces Special Coating Towels are short-pile microfiber cloths with specially tuned fibres. The fiber structure guarantees a very simple and scratch-free polishing of all permanent surface coatings such as Coat Ultima. This high-quality microfiber cloth is also ideal for normal cleaning work.

Areas of application:

- Application of surface coatings
- Cleaning

Properties:

- Seamless edge
- Special fiber structure

Material:

80% Polyester, 20% Polyamide

Art. No.:	Size:	Weight:	Content:
SF10028	40 cm x 40 cm	290 GSM	10 pieces



Special Drying Towel

A microfiber cloth for drying surfaces



The servFaces Special Drying Towel is an important accessory that helps prevent paint damage after car washing. It is super soft and is excellent for very gentle drying of painted surfaces. The long-and-short pile fiber structure allows the towel to absorb a lot of water and dry surfaces quickly and super gently.

Properties:

- Weight: Approx. 400 g/m2
- Size: Approx. 60 x 100 cm
- Special fiber structure
- Refined microfiber edge
- Long- and short-pile, tight fiber structure
- Highly absorbant
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10031	60 cm x 100 cm	400 GSM	1 piece



Premium Drying Towel

A microfiber cloth for drying surfaces



The servFaces Premium Drying Towel is the latest development in microfiber technology and an important accessory to prevent paint damage after car washing. It is super soft and is excellent for very gentle cleaning of painted surfaces. A long, twisted fiber structure makes this towel extra absorbent, allowing it to dry surfaces quickly and super gently.

Properties:

- Weight: Approx. 1,000 g/m2
- Size: Approx. 60 x 100 cm
- Special fiber structure
- Seamless and super soft
- Long, refined fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10273	60 cm x 100 cm	1,000 GSM	1 piece



Art. No.:	Size:	Weight:	Content:
SF10279	60 cm x 40 cm	1,000 GSM	1 piece

MINI // Premium Drying Towel

A microfiber cloth for drying surfaces



The servFaces MINI // Premium Drying Towel is the latest development in microfiber technologies and an important accessory that helps prevent paint damage after car washing. The MINI is super soft and is excellent for very gentle cleaning of painted surfaces. A long, twisted fiber structure makes this towel extra absorbent, allowing it to dry surfaces quickly and super gently.

Properties:

- Weight: Approx. 1,000 g/m2
- Size: Approx. 60 x 40 cm
- Special fiber structure
- Seamless and super soft
- Long twisted fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Comes in a resealable PVC bag

Premium Allround Towels

Microfiber cloth



servFaces Premium Allround Towels are long-pile microfiber cloths for a wide range of applications. The special fiber structure and ultrasonic-cut edges guarantee a high-gloss finish and will not scratch very sensitive surfaces. This premium microfiber cloth is also suitable for cleaning very sensitive surfaces.

Areas of application:

- Dust removal, wax removal, polishing and paint care products
- Cleaning
- Finish

Properties:

- Special fiber structure
- Rimless/ultrasound
- Double-sided high-pile and thick fibers
- Delivered in resealable PVC bag

Material:

70% Polyester, 30% Polyamide



Art. No.:	Size:	Weight:	Content:
SF10073	40 cm x 40 cm	500 GSM	5 pieces

Premium Buffing Towel

Microfiber cloth



servFaces Premium Buffing Towel is a heavy-duty long-pile microfiber cloth for a wide range of applications. The special fiber structure and ultrasonic-cut edge guarantee a high-gloss finish and will not scratch very sensitive surfaces.

Areas of application:

- Dust removal, wax removal, polishing and paint care products
- Cleaning
- Finish

Properties:

- Special fiber structure
- Rimless/ultrasound
- long and short-pile, tight fiber structure

Material:

70% Polyester, 30% Polyamide



Art. No.:	Size:	Weight:	Content:
SF10259	40 cm x 40 cm	500 GSM	3 pieces



Art. No.:	Size:	Weight:	Content:
SF10280	40 cm x 40 cm	900 GSM	1 piece

Premium Hybrid Towel

A microfiber cloth for cleaning and drying surfaces

The servFaces Premium Hybrid Towel is the latest development in microfiber technologies and an important accessory for car washing and drying. This double-sided towel offers flexibility in application. The super soft Premium Hybrid Towel cleans painted surfaces particularly gently. Its long-and-short pile fiber structure makes it absorbent, so it can dry surfaces quickly and super gently.

Properties:

- Weight: Approx. 900 g/m2
- Size: Approx. 40 x 40 cm
- Special fiber structure
- Microfiber edge and super soft
- Long, twisted & waffle fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Comes in a resealable PVC bag

Glass Cleaning Towels

(for application on wet surfaces)

Microfiber cloth

servFaces Glass Cleaning Towels for wet cleaning of glass surfaces are special microfiber cloths with a very fine fiber structure. The special 2-sided structure provides a high water absorption capacity and perfect cleaning results.

Areas of application:

- Wet cleaning of various glass surfaces
- Cleaning

Properties:

- Special fiber structure
- Two-sided fine, tight fiber structure

Material:

80 % Polyester, 20 % Polyamide



Art. No.:	Size:	Weight:	Content:
SF10074	40 cm x 40 cm	350 GSM	2 pieces

Glass Cleaning Towels

(for application on dry surfaces)

Microfiber cloth

servFaces Glass Cleaning Towels for re-polishing of glass surfaces are special microfiber cloths with a very fine, waffle fiber structure. The waffle structure ensures great polishing results. You can also use the microfiber cloth for wet cleaning, because the waffle structure guarantees a very high dirt holding capacity.

Areas of application:

- Dry cleaning / Polishing of various glass surfaces
- Cleaning

Properties:

- Special fiber structure
- Refined microfiber edge
- Waffle structure on both sides, tight fiber structure
- Enormous absorbing and sliding capacity

Material:

80 % Polyester, 20 % Polyamide



Art. No.:	Size:	Weight:	Content:
SF10075	40 cm x 40 cm	390 GSM	2 pieces



Art. No.:	Color:	Size:	Contents:
SF10492	Purple	40 x 40 cm	5 pieces
SF10493	Blue	40 x 40 cm	5 pieces
SF10494	Turquoise	40 x 40 cm	5 pieces
SF10495	Green	40 x 40 cm	5 pieces

All-Clean Towels

All-purpose microfiber cloth

servFaces All-Clean Towels are seamless, short-pile microfiber towels with a specially designed fiber structure. This special fiber arrangement ensures outstanding cleaning power and optimal dirt absorption. They are ideal for general cleaning tasks indoors and outdoors on vehicles, buildings, and in the home. The towels are available in different colors, allowing you to develop a customized cleaning system.

Areas of application:

- Vehicle interior: Dashboard, seats, door panels
- Engine compartment: Dust and oil residue
- Bodywork: Door edges, water stains
- Furniture: Tables, chairs, inventory
- Work environment: Work surfaces, equipment

Properties:

- Seamless edge
- Specially designed fiber structure
- 290 gsm

Material:

80% polyester, 20% polyamide



Wheel Brush Set of 3

Rim brushes for thorough rim cleaning

With the 3-piece rim brush set – consisting of Wheel Brush PRO, Wheel Brush MINI, and Wheel Brush MAX – you can clean every rim quickly, thoroughly, and gently. Three different sized brushes ensure that you have the right brush for every rim shape and size – ideal for narrow spokes, tight spaces or large areas. The high-quality bristles reliably remove dirt and brake dust without damaging the surface.

Prproperties:

- 100% Nylon
- Stable & robust
- Bendable brush head
- Chemical-resistant
- Handle with rubber protective plate ash and protection

Art. No.:	Content:
SF10478	3 Stück



Scrubber Pad

For cleaning work on leather, textiles and plastic

The Scrubber Pad is made of two high-quality materials and ensures powerful and pore-deep interior cleaning inside and outside. Do not use on painted of highgloss surfaces.

Areas of application:

- Cleaning convertible tops and insect removal
- Interior and exterior cleaning of plastic, leather and textiles

Properties:

- Extremely fine nylon 700 gsm
- Microfiber Mesh 320 gsm
- Silky-smooth microfiber edge
- Rounded shape

Art. No.:	Color:	Size:	Content:
SF10445	Grey	10 x 14 x 2 cm	1 Piece
SF10446	Yellow	10 x 14 x 2 cm	1 Piece
SF10447	Light-Green	10 x 14 x 2 cm	1 Piece



Wheel Brush MAX

Rim brush for thorough rim cleaning

The servFaces Wheel Brush MAX is indispensable for professional rim cleaning due to its special properties and is suitable for all types of rims. The brush head is made of robust, chemical-resistant and at the same time material-friendly nylon threads that ensure thorough cleaning. The conical shape makes it possible to reach small and large gaps and is particularly suitable for all types of rims with narrow spokes. The protective plate on the handle prevents the cleaning agent from running down. For high-gloss/chrome rims and other sensitive rims – first check for compatibility in a hidden area!

Properties:

- Length 45 cm, Ø10,5 cm
- 100% Nylon
- Robust & stable
- Bendable brush head
- Chemical-resistant
- Handle with rubber protective plate ash and protection

Art. No.:	Size:	Content:
SF10449	Length 45 cm, Ø10,5 cm	1 Piece



Wheel Brush MINI

Rim brush for thorough rim cleaning

The servFaces Wheel Brush MINI is indispensable for professional rim cleaning due to its special properties and is suitable for all types of rims. The brush head is made of robust, chemical-resistant and at the same time material-friendly nylon threads that ensure thorough cleaning. The conical shape makes it possible to reach small and large gaps and is particularly suitable for all types of rims with narrow spokes. The protective plate on the handle prevents the cleaning agent from running down. For high-gloss/chrome rims and other sensitive rims – first check for compatibility in a hidden area!

Properties:

- Length 33,5 cm, Ø6,5 cm
- 100% Nylon
- Robust & stable
- Bendable brush head
- Chemical-resistant
- Handle with rubber protective plate ash and protection

Art. No.:	Size:	Content:
SF10448	Length 33,5 cm, Ø6,5 cm	1 Piece



Wheel Brush PRO

Rim brush for thorough rim cleaning

The servFaces Wheel Brush PRO is indispensable for professional rim cleaning due to its special properties and is suitable for all types of rims. The brush head is made of robust, chemical-resistant and at the same time material-friendly nylon threads that ensure thorough cleaning. The round shape enables targeted cleaning of angled spoke, that makes intensive dirt removal possible. For high-gloss/chrome rims and other sensitive rims – first check for compatibility in a hidden area!

Properties:

- Length 40 cm, Ø8 cm
- 100% Nylon
- Robust & stable
- Chemical-resistant

Art. No.:	Size:	Content:
SF10450	Length 40 cm, Ø8 cm	1 Piece



Art. No.:	Size:	Weight:	Content:
SF10301	21 cm x 14 cm x 5 cm	1,000 GSM	1 piece

Premium Wash Sponge

A super soft wash sponge

The servFaces Premium Wash Sponge is an important accessory that helps prevent paint damage during car washing. This super soft sponge cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.

Properties:

- Weight: Approx. 1,000 g/m2
- Size: Approx. 21 x 14 x 5 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 40°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag

Premium Wash Sponge - MEDIUM

A super soft wash sponge



Art. No.:	Size:	Weight:	Content:
SF10336	18 cm x 12 cm x 4,5 cm	1,000 GSM	1 piece

The servFaces Premium Wash Sponge is an important accessory that helps prevent paint damage during car washing. This super soft sponge cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.

Properties:

- Weight: Approx. 1,000 g/m2
- Size: Approx. 18 x 12 x 4,5 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 40°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag

Premium Wash Sponge - MINI

A super soft wash sponge



Art. No.:	Size:	Weight:	Content:
SF10335	15 cm x 11 cm x 3,5 cm	1,000 GSM	1 piece

The servFaces Premium Wash Sponge is an important accessory that helps prevent paint damage during car washing. This super soft sponge cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.

Properties:

- Weight: Approx. 1,000 g/m2
- Size: Approx. 15 x 11 x 3,5 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 40°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag



Art. No.:	Size:	Weight:	Content:
SF10185	26 cm x 18 cm	1,000 GSM	1 piece

Premium Wash Mitt

Premium washing glove

The servFaces Premium Wash Mitt is an important accessory that helps prevent paint damage during car washing. This super soft mitt cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.

Properties:

- Weight: Approx. 1,000 g/m2
- Size: Approx. 26 x 18 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag



Art. No.:	Size:	Can be filled up to:	Content:
SF10303	60 cm x 50 cm	2,5 kg	1 piece

Pro Bag

Protective laundering bag

The servFaces Pro Bag protects textiles such as microfiber cloths and polishing pads when they are being laundered in the washing machine.

Properties:

- With a practical zip fastener
- Sewn-in color labels simplify laundry separation
- Wash at 60°C
- 60 x 50 cm
- Holds up to 2.5 kg

Leather & Interior brush

Hand-crafted brush made of beech wood

Hand-crafted brush made of beech wood for the gentle cleaning of leather surfaces.

Areas of application:

- With the servFaces leather & interior cleaning brush, you can even clean dirt from hard-to-reach areas, such as along seams or in button creases.



1 Piece
Art. No.: SF10071



Art. No.:	Color:	Size:	Weight:	Content:
SF10441	green	Ø 13 cm / 20 mm	350 GSM	1 piece
SF10440	blue	Ø 13 cm / 20 mm	350 GSM	1 piece
SF10442	yellow	Ø 13 cm / 20 mm	350 GSM	1 piece

Microfiber Applicator 13cm

Double-sided short-pile and silicone-free Microfibre Applicator

The servFaces Microfiber Applicator is silicone-free and guaranteed uniform and economical application of various servFaces care products and waxes. The very fine microfiber structure with one foam core avoids excessive penetration of liquids or wax and thus saves precious material.

Areas of application:

- Application of various servFaces care products and waxes

Material:

45 % Polyester, 10 % Polyamide, 45 % Polyurethane

Properties:

- Special fiber structure
- Double-sided short-pile, solid fiber structure
- Practical rubber band
- Low friction coefficient



Art. No.:	Size:	Weight:	Content
SF10413	12,5 cm x 10,5 cm	320 GSM	2 pieces

Applicator Mitt

Microfiber Application Mitt

The servFaces Applicator Mitt is silicone-free and guarantees uniform and cost-effective application of various servFaces coatings, car care products and waxes. The very fine micro-fiber structure with a foam core prevents excessive absorption of liquids or wax and saves valuable material.

Areas of application:

- Application of various servFaces coatings, car care products and waxes

Properties:

- Special fiber structure (320 GSM)
- Double-sided short-pile, solid fiber structure
- Extremely high gliding ability



Premium Applicator Sponges

Microfiber applicators

The servFaces Premium Applicator Sponges is silicone-free and guarantees uniform and cost-effective application of various servFaces coatings, car care products and waxes. The very fine micro-fibre structure with a foam core prevents excessive absorption of liquids or wax and saves valuable material.

Areas of application:

- Application of various servFaces coatings, car care products and waxes

Material:

45% Polyester, 10% Polyamide, 45% Polyurethane

Properties:

- special fiber structure (320 GSM)
- double-sided short-pile, solid fibre structure
- extremely high gliding ability

Art. No.:	Size:	Weight:	Content:
SF10414	12 cm x 8 cm x 3 cm	320 GSM	4 pieces



Art. No.:	Size:	Content:
SF10398	Ø 65/50 (40+10) mm	1 piece

Applicator Puck

The Applicator Puck is perfect for applying care products such as Tire & Rubber Care. Its round shape fits comfortably in the hand. Thanks to its size, care products can be applied very precisely.

Areas of application:

- Application of care products



Art. No.:	Size:	Content:
SF10399	125 mm x 70 mm x 50 mm	1 piece

Applicator Puck MAXI

The Applicator Puck MAXI is perfect for applying care products such as Hybrid Wax Creme, Tire & Rubber Care or Cockpit & Plastic Care. It is especially well suited to work on large areas.

Areas of application:

- Application of care products



Art. No.:	Size:	Content:
SF10035	80 x 40 x 23 mm	10 pieces
SF10035.1	80 x 40 x 23 mm	50 pieces
SF10035.2	80 x 40 x 23 mm	100 pieces
SF10035.3	80 x 40 x 23 mm	200 pieces

Applicators

For applying servFaces coatings

Properties:

- 80 x 40 x 23 mm



Art. No.:	Size:	Content:
SF10037.1	10 x 15 cm	50 pieces
SF10037.2	10 x 15 cm	100 pieces
SF10037.3	10 x 15 cm	200 pieces
SF10037.4	10 x 15 cm	400 pieces

Application Cloths

Special microfiber cloths for processing various surface coatings and glass seals.

Properties:

- 10 x 15 cm

BRAND

POLO SHIRTS
POLISHING APRON
PROMOTIONAL MATERIALS

Polo shirts and Polishing apron



Polo Shirts

In black or white

High-grade polo shirts made from a cotton blend with the servFaces logo on both front and back.

Please note that our polo shirts have a slim cut. You may wish to order one size larger.

Size: XS – XXL
Color: White or black
Content: 50% polyester, 50% cotton

White:

Size:	Art. No.:
XS	SF10040.11
S	SF10040.5
M	SF10040.6
L	SF10040.7
XL	SF10040.8
XXL	SF10040.9

Black:

Size:	Art. No.:
XS	SF10040.10
S	SF10040
M	SF10040.1
L	SF10040.2
XL	SF10040.3
XXL	SF10040.4



Polishing apron

High-grade detailing aprons made of 100% cotton with the silver servFaces logo and practical pockets.

Size: One size
Color: Black
Options: Long

Size: lang
Art. No.: SF10256.1



Größe: 51 x 26 x 37 cm
Art. No.: SF10437

servBag - car care bag

The servFaces car care bag is designed for storing and transporting servFaces products. The bag offers plenty of storage space for bottles, cloths, and accessories. Thanks to the separate pockets inside, each bottle can be secured individually, ensuring that the products can be transported safely without tipping over or leaking. The feet on the bottom of the bag ensure it stands securely and keep the bottom of the bag dry.

- Features:**
- 5 compartments for 750 ml/1 litre bottles and 8 compartments for 250 ml bottles
 - Wide shoulder strap
 - Individual compartments inside to secure bottles
 - High-quality embroidered logo
 - Plastic feet on the base of the bag
 - Reinforced base



Größe: 54 x 26 x 28 cm
Art. No.: SF20002

servFaces sports bag

This high-quality sports bag offers generous storage space and a clever interior layout. Several internal and external pockets allow for the neat organisation of clothing, accessories and personal items. A separate shoe compartment with integrated ventilation holes ensures that shoes or worn sportswear remain hygienic and odour-free, separated from the rest of the contents.

- Features:**
- Separate compartment for shoes
 - Wide shoulder strap
 - 2 external pockets for smaller items
 - High-quality embroidered logo
 - Reinforced base



1 Piece
Art. No.: SF10388

Banner - Motif: Cleaning Products

2.000 x 850 mm

High-quality PVC banner, hemmed and with grommets spaced 50 cm apart all around

- Properties:
- 510g frontlit banner
 - weather-resistant, suitable for indoor and outdoor use
 - B1 certified—flame-retardant in accordance with DIN 4102



1 Piece
Art. No.: SF10389

Banner - Motif: Care Products

2.000 x 850 mm

High-quality PVC banner, hemmed and with grommets spaced 50 cm apart all around

- Properties:
- 510g frontlit banner
 - weather-resistant, suitable for indoor and outdoor use
 - B1 certified—flame-retardant in accordance with DIN 4102



1 Piece
Art. No.: SF10505

Banner - Motif: Vehicle Maintenance

3.000 x 1.000 mm

High-quality PVC banner, hemmed and with grommets spaced 50 cm apart all around

- Properties:
- 450 g/m²
 - 100% polyester
 - weatherproof & UV-resistant
 - B1 certified—flame-retardant according to DIN 4102



1 Piece
Art. No.: SF10506

Banner - Motif: Vehicle Cleaning

3.000 x 1.000 mm

High-quality PVC banner, hemmed and with grommets spaced 50 cm apart all around

- Properties:
- 450 g/m²
 - 100% polyester
 - weatherproof & UV-resistant
 - B1 certified—flame-retardant according to DIN 4102



1 Piece
Art. Nr.: SF10507

Banner - Motif: Paint Polishes

3.000 x 1.000 mm

High-quality PVC banner, hemmed and with grommets spaced 50 cm apart all around

- Properties:
- 450 g/m²
 - 100% polyester
 - weatherproof & UV-resistant
 - B1 certified—flame-retardant according to DIN 4102



Art. No.:	Language:	Content:
SF10334.1	English	10 pieces
SF10411	German & English	10 pieces

Mirror Tags with Care Instructions

For hanging in customer vehicles after professional ceramic coating

The mirror tag can be attached to the customer’s vehicle after a professional ceramic coating – for example, on the rearview mirror. The tag offers customers useful care instructions so that they can enjoy the coated paintwork and shine for a long time.



Art. No.:	Content:
SF10039	5 coating booklets & 5 stickers - German & English
SF10039.1	5 coating booklets & 5 stickers - English

Coating Booklet including Sticker

5 coating booklets & 5 stickers

The coating booklet is a great way to build customer loyalty. After the surface has been coated, give your customer their own personal coating booklet. In addition to customer data, note can be made of which products were used and how many coats were applied. In this way the process becomes transparent to customers and they can stay on top of their treatment regimen.



1.20 m x 1.20 m
Art. No.: SF10042

servFaces Banner

Mesh plan (PVC-free), 240 g polyester matt white (B1 certified), printed 4/0 colors, hemmed + eyelets at a distance of 50 cm all around.

- Properties:
- Environmentally friendly
 - UV- and weatherproof
 - Durable
 - B1 certified - flame retardant according to DIN 4102
 - 100% recyclable

Content:
100% polyester

Size: 1.20 m x 1.20 m



servFaces GmbH • Zeppelinstr. 2-4 • D-72488 Sigmaringen
Hotline: +49 7571 6894 0 • info@servFaces.de • www.servFaces.com